

# **CO<sub>2</sub> EMISSIONS FROM FUEL COMBUSTION**

## **DATABASE DOCUMENTATION**

This document provides information regarding the 2018 edition of the IEA *CO<sub>2</sub> emissions from fuel combustion* database. This document can be found online at:

[http://wds.iea.org/wds/pdf/WorldCo2\\_Documentation.pdf](http://wds.iea.org/wds/pdf/WorldCo2_Documentation.pdf).

Please address your inquiries to [emissions@iea.org](mailto:emissions@iea.org).

*Please note that all IEA data are subject to the following Terms and Conditions found on the IEA's website: <http://www.iea.org/t&c/termsandconditions/>.*

## TABLE OF CONTENTS

1. CHANGES FROM LAST EDITION .....	4
2. DATABASE DESCRIPTION .....	5
3. DEFINITIONS.....	6
4. GEOGRAPHICAL COVERAGE AND COUNTRY NOTES .....	33
5. UNDERSTANDING THE IEA CO <sub>2</sub> EMISSIONS ESTIMATES .....	53
6. IEA ESTIMATES: CHANGES UNDER THE 2006 IPCC GUIDELINES.....	58
7. GHG EMISSIONS: SOURCES AND METHODS.....	64
8. UNITS AND CONVERSIONS .....	69
9. ABBREVIATIONS.....	71

# 1. CHANGES FROM LAST EDITION

## Geographical coverage

Mexico became the International Energy Agency's 30th member country on 17 February 2018. Accordingly, starting with the 2018 edition, Mexico appears in the list of IEA Members and is included in the IEA zone aggregates for data starting in 1971 and for the entire time series.

Brazil joined the IEA as an Association country in October 2017. Accordingly, Brazil is now included in the IEA and Accession/Association countries regional aggregate for data starting in 1971 and for the entire time series.

## Emissions from electricity and heat for the most recent year

For all countries providing provisional 2017 data for electricity and heat production, emissions from electricity and heat production in 2017 were added to the database, in both summary and expanded files. This was possible for over fifty countries.

## Changes to database

A new flow was added to the file WORLD\_BigCO<sub>2</sub>.IVT: Memo: electricity and heat production.

Electricity and heat production contains the sum of emissions from electricity production, combined heat and power plants and heat plants. It is the sum of main activity producers and autoproducers. Emissions from own on-site use of fuel are included.

Database	New longname	Shortname
WORLD_BigCO <sub>2</sub> .IVT	Memo: Electricity and heat production	ELECHEAT

## 2. DATABASE DESCRIPTION

The *World CO<sub>2</sub> Emissions from Fuel Combustion* database contains annual CO<sub>2</sub> emissions from fuel combustion and related indicators for over 140 countries and regional aggregates. Emissions were calculated using IEA energy databases and the default methods and emission factors given in the *2006 GLs for National Greenhouse Gas Inventories*. This edition includes annual data for 185 countries/regions, generally from 1960-2016 (OECD) and from 1971-2016 (non-OECD), unless specified differently at the country level.

The *World CO<sub>2</sub> Emissions from Fuel Combustion* database includes the following six files:

WORLD_BigCO <sub>2</sub> .IVT	<b>CO<sub>2</sub> Emissions from fuel combustion (detailed estimates)</b> Detailed CO <sub>2</sub> emissions by subsector and by product (47 products; 41 flows).
WORLD_CO <sub>2</sub> .IVT	<b>CO<sub>2</sub> Emissions from fuel combustion (summary)</b> Aggregated CO <sub>2</sub> emissions by sector and by product category (5 product categories, 13 flow categories).
WORLD_CO <sub>2</sub> Indic.IVT	<b>CO<sub>2</sub> emissions indicators</b> 30 CO <sub>2</sub> -related, energy and socio-economic indicators
WORLD_CO <sub>2</sub> Sector.IVT	<b>Allocation of emissions from electricity and heat</b> CO <sub>2</sub> emissions after reallocation of emissions from electricity and heat generation to consuming sectors.
WORLD_IPCC2006.IVT	<b>IPCC Fuel Combustion Emissions (2006 Guidelines)</b> CO <sub>2</sub> emissions from fuel combustion, with Reference and Sectoral Approach totals, as well as detailed split between emissions across the Energy, and Industrial Processes and Product Use (IPPU) sectors, as recommended in the <i>2006 GLs</i> .
WORLD_NonCO <sub>2</sub> .IVT	<b>Emissions of CO<sub>2</sub>, CH<sub>4</sub>, N<sub>2</sub>O, HFCs, PFCs and SF<sub>6</sub></b> CO <sub>2</sub> -equivalent emissions of six greenhouse gases across all sectors. Data are available for 1990, 1995, 2000, 2005, 2010 2012 and 2015.

Detailed definitions of each flow and product are presented in the chapter *Definitions*.

### 3. DEFINITIONS

CO <sub>2</sub> emissions from fuel combustion (Mt of CO <sub>2</sub> )		
Flow	Short name	Definition
CO <sub>2</sub> Fuel Combustion	CO2FCOMB	<p><i>CO<sub>2</sub> Fuel Combustion</i> presents total CO<sub>2</sub> emissions from fuel combustion. This includes CO<sub>2</sub> emissions from fuel combustion in IPCC Source/Sink Category 1 A Fuel Combustion Activities and those which may be reallocated to IPCC Source/Sink Category 2 Industrial Processes and Product Use under the 2006 GLs.</p> <p>CO2FCOMB = MAINPROD + AUTOPROD + OTHER + TOTIND + TOTTRANS + RESIDENT+ COMMPUB + AGRICULT + FISHING + ONONSPEC.</p>
Main activity producer of electricity and heat	MAINPROD	<p><i>Main activity producer electricity and heat</i> contains the sum of emissions from main activity producer electricity generation, combined heat and power generation and heat plants. Main activity producers are defined as those undertakings whose primary activity is to supply the public. They may be publicly or privately owned. Emissions from own on-site use of fuel are included. This corresponds to IPCC Source/Sink Category 1 A 1 a.</p>
Main activity electricity plants	MAINELEC	<p>Refers to plants which are designed to produce electricity only. If one or more units of the plant is a CHP unit (and the inputs and outputs cannot be distinguished on a unit basis) then the whole plant is designated as a CHP plant. Main activity producers generate electricity for sale to third parties, as their primary activity. They may be privately or publicly owned. Note that the sale need not take place through the public grid.</p>
Main activity CHP plants	MAINCHP	<p>Refers to plants which are designed to produce both heat and electricity (sometimes referred to as co-generation power stations). If possible, fuel inputs and electricity/heat outputs are on a unit basis rather than on a plant basis. However, if data are not available on a unit basis, the convention for defining a CHP plant noted above should be adopted. Main activity producers generate electricity and/or heat for sale to third parties, as their primary activity. They may be privately or publicly owned. Note that the sale need not take place through the public grid.</p>

CO <sub>2</sub> emissions from fuel combustion (Mt of CO <sub>2</sub> )		
Flow	Short name	Definition
Main activity heat plants	MAINHEAT	Refers to plants (including heat pumps and electric boilers) designed to produce heat only and who sell heat to a third party (e.g. residential, commercial or industrial consumers) under the provisions of a contract. Main activity producers generate heat for sale to third parties, as their primary activity. They may be privately or publicly owned. Note that the sale need not take place through the public grid.
Own use in electricity, CHP and heat plants	EPOWERPLT	Emissions from own on-site use of fuel in electricity, CHP and heat plants. This includes CO <sub>2</sub> emissions from fuel combustion which may be reallocated to IPCC Source/Sink Category 2 Industrial Processes and Product Use under the 2006 GLs.
Unallocated autoproducers	AUTOPROD	<i>Unallocated autoproducers</i> contains the emissions from the generation of electricity and/or heat by autoproducers. Autoproducers are defined as undertakings that generate electricity and/or heat, wholly or partly for their own use as an activity which supports their primary activity. They may be privately or publicly owned. In the 2006 GLs, these emissions would normally be distributed between industry, transport and "other" sectors. This includes CO <sub>2</sub> emissions from fuel combustion which may be reallocated to IPCC Source/Sink Category 2 Industrial Processes and Product Use under the 2006 GLs.
Autoproducer electricity plants	AUTOELEC	Refers to plants which are designed to produce electricity only. If one or more units of the plant is a CHP unit (and the inputs and outputs cannot be distinguished on a unit basis) then the whole plant is designated as a CHP plant. Autoproducer undertakings generate electricity wholly or partly for their own use as an activity which supports their primary activity. They may be privately or publicly owned.  This includes CO <sub>2</sub> emissions from fuel combustion which may be reallocated to IPCC Source/Sink Category 2 Industrial Processes and Product Use under the 2006 GLs.

CO <sub>2</sub> emissions from fuel combustion (Mt of CO <sub>2</sub> )		
Flow	Short name	Definition
Autoproducer CHP plants	AUTOCHP	<p>Refers to plants which are designed to produce both heat and electricity (sometimes referred to as co-generation power stations). If possible, fuel inputs and electricity/heat outputs are on a unit basis rather than on a plant basis. However, if data are not available on a unit basis, the convention for defining a CHP plant noted above should be adopted. Note that for autoproducer CHP plants, all fuel inputs to electricity production are taken into account, while only the part of fuel inputs to heat sold is shown. Fuel inputs for the production of heat consumed within the autoproducer's establishment are not included here but are included with figures for the final consumption of fuels in the appropriate consuming sector. Autoproducer undertakings generate electricity and/or heat, wholly or partly for their own use as an activity which supports their primary activity. They may be privately or publicly owned.</p> <p>This includes CO<sub>2</sub> emissions from fuel combustion which may be reallocated to IPCC Source/Sink Category 2 Industrial Processes and Product Use under the 2006 GLs.</p>
Autoproducer heat plants	AUTOHEAT	<p>Refers to plants (including heat pumps and electric boilers) designed to produce heat only and who sell heat to a third party (e.g. residential, commercial or industrial consumers) under the provisions of a contract. Autoproducer undertakings generate heat, wholly or partly for their own use as an activity which supports their primary activity. They may be privately or publicly owned.</p> <p>This includes CO<sub>2</sub> emissions from fuel combustion which may be reallocated to IPCC Source/Sink Category 2 Industrial Processes and Product Use under the 2006 GLs.</p>
Other energy industry own use	OTHEN	<p><i>Other energy industry own use</i> contains emissions from fuel combusted in oil refineries, for the manufacture of solid fuels, coal mining, oil and gas extraction and other energy-producing industries. This corresponds to the IPCC Source/Sink Categories 1 A 1 b and 1 A 1 c. This includes CO<sub>2</sub> emissions from fuel combustion which may be reallocated to IPCC Source/Sink Category 2 Industrial Processes and Product Use under the 2006 GLs.</p>
Manufacturing industries and construction	TOTIND	<p><i>Manufacturing industries and construction</i> contains the emissions from combustion of fuels in industry. The IPCC Source/Sink Category 1 A 2 includes these emissions. However, in the 2006 GLs, the IPCC category also includes emissions from industry autoproducers that generate electricity and/or heat. The IEA data are not collected in a way that allows the energy consumption to be split by specific end-use and therefore, autoproducers are shown as a separate item (<i>unallocated autoproducers</i>).</p> <p>This includes CO<sub>2</sub> emissions from fuel combustion which may be reallocated to IPCC Source/Sink Category 2 Industrial Processes and Product Use under the 2006 GLs.</p>

CO <sub>2</sub> emissions from fuel combustion (Mt of CO <sub>2</sub> )		
Flow	Short name	Definition
Iron and steel	IRONSTL	[ISIC Rev. 4 Group 241 and Class 2431] This includes CO <sub>2</sub> emissions from fuel combustion which may be reallocated to IPCC Source/Sink Category 2 Industrial Processes and Product Use under the 2006 GLs.
Chemical and petrochemical	CHEMICAL	[ISIC Rev. 4 Divisions 20 and 21]
Non-ferrous metals	NONFERR	[ISIC Rev. 4 Group 242 and Class 2432] Basic industries. This includes CO <sub>2</sub> emissions from fuel combustion which may be reallocated to IPCC Source/Sink Category 2 Industrial Processes and Product Use under the 2006 GLs.
Non-metallic minerals	NONMET	[ISIC Rev. 4 Division 23] Such as glass, ceramic, cement, etc.
Transport equipment	TRANSEQ	[ISIC Rev. 4 Divisions 29 and 30]
Machinery	MACHINE	[ISIC Rev. 4 Divisions 25 to 28] Fabricated metal products, machinery and equipment other than transport equipment.
Mining and quarrying	MINING	[ISIC Rev. 4 Divisions 07 and 08 and Group 099] Mining (excluding fuels) and quarrying.
Food and tobacco	FOODPRO	[ISIC Rev. 4 Divisions 10 to 12]
Paper, pulp and printing	PAPERPRO	[ISIC Rev. 4 Divisions 17 and 18]
Wood and wood Products	WOODPRO	[ISIC Rev. 4 Division 16] Wood and wood products other than pulp and paper.
Construction	CONSTRUC	[ISIC Rev. 4 Division 41 to 43]
Textile and leather	TEXTILES	[ISIC Rev. 4 Divisions 13 to 15]
Non-specified industry	INONSPEC	[ISIC Rev. 4 Divisions 22, 31 and 32] Any manufacturing industry not included above. Note: Most countries have difficulties supplying an industrial breakdown for all fuels. In these cases, the <i>non-specified</i> industry row has been used. Regional aggregates of industrial consumption should therefore be used with caution.

CO <sub>2</sub> emissions from fuel combustion (Mt of CO <sub>2</sub> )		
Flow	Short name	Definition
Transport	TOTTRANS	<p><i>Transport</i> contains emissions from the combustion of fuel for all transport activity, regardless of the sector, except for <i>international marine bunkers</i> and <i>international aviation bunkers</i>, which are not included in <i>transport</i> at a national or regional level (except for World transport emissions). This includes domestic aviation, domestic navigation, road, rail and pipeline transport, and corresponds to IPCC Source/Sink Category 1 A 3. The IEA data are not collected in a way that allows the autoproducer consumption to be split by specific end-use and therefore, this publication shows autoproducers as a separate item (<i>unallocated autoproducers</i>).</p> <p>Note: Starting in the 2006 edition, military consumption previously included in <i>domestic aviation</i> and in <i>road</i> should be in <i>non-specified other</i>.</p>
Road	ROAD	<p><i>Road</i> contains the emissions arising from fuel use in road vehicles, including the use of agricultural vehicles on highways. This corresponds to the IPCC Source/Sink Category 1 A 3 b. Excludes emissions from military consumption as well as motor gasoline used in stationary engines and diesel oil for use in tractors that are not for highway use.</p>
Domestic aviation	DOMESAIR	<p><i>Domestic aviation</i> includes emissions from aviation fuels delivered to aircraft for domestic aviation – commercial, private, agriculture, etc. It includes use for purposes other than flying, e.g. bench testing of engines, but not airline use of fuel for road transport. The domestic/international split should be determined on the basis of departure and landing locations and not by the nationality of the airline. Note that this may include journeys of considerable length between two airports in a country (e.g. San Francisco to Honolulu). For many countries this also incorrectly includes fuel used by domestically owned carriers for outbound international traffic.</p>
Rail	RAIL	Includes emissions from rail traffic, including industrial railways.
Pipeline transport	PIPELINE	Includes emissions from fuels used in the support and operation of pipelines transporting gases, liquids, slurries and other commodities, including the energy used for pump stations and maintenance of the pipeline. Energy for the pipeline distribution of natural or coal gases, hot water or steam (ISIC Rev. 4 Division 35) from the distributor to final users is excluded and should be reported in other energy industry own use, while the energy used for the final distribution of water (ISIC Rev. 4 Division 36) to household, industrial, commercial and other users should be included in commercial/public services. Losses occurring during the transport between distributor and final users should be reported as distribution losses.

CO <sub>2</sub> emissions from fuel combustion (Mt of CO <sub>2</sub> )		
Flow	Short name	Definition
Domestic navigation	DOMESNAV	<i>Domestic navigation</i> includes emissions from fuels delivered to vessels of all flags not engaged in international navigation (see international marine bunkers). The domestic/international split should be determined on the basis of port of departure and port of arrival and not by the flag or nationality of the ship. Note that this may include journeys of considerable length between two ports in a country (e.g. San Francisco to Honolulu). Fuel used for ocean, coastal and inland fishing and military consumption are excluded.
Non-specified transport	TRNONSPE	Includes all emissions from transport not elsewhere specified. Note: <i>International marine bunkers</i> and <i>international aviation bunkers</i> are not included in <i>transport</i> at a country or regional level (except for World transport emissions).
Residential	RESIDENT	<i>Residential</i> contains all emissions from fuel combustion in households. This corresponds to IPCC Source/Sink Category 1 A 4 b.
Commercial and public services	COMMPUB	Commercial and public services includes emissions from all activities of ISIC Rev. 4 Divisions 33, 36-39, 45-47, 52, 53, 55-56, 58-66, 68-75, 77-82, 84 (excluding Class 8422), 85-88, 90-96 and 99.
Agriculture/forestry	AGRICULT	<i>Agriculture/forestry</i> includes deliveries to users classified as agriculture, hunting and forestry by the ISIC, and therefore includes energy consumed by such users whether for traction (excluding agricultural highway use), power or heating (agricultural and domestic) [ISIC Rev. 4 Division 03].
Fishing	FISHING	<i>Fishing</i> includes emissions from fuels used for inland, coastal and deep-sea fishing. Fishing covers fuels delivered to ships of all flags that have refuelled in the country (including international fishing) as well as energy used in the fishing industry [ISIC Rev.4 Division 03].
Non-specified other	ONONSPEC	Includes emissions from all fuel use not elsewhere specified as well as consumption in the above-designated categories for which separate figures have not been provided. Emissions from military fuel use for all mobile and stationary consumption are included here (e.g. ships, aircraft, road and energy used in living quarters) regardless of whether the fuel delivered is for the military of that country or for the military of another country.

CO <sub>2</sub> emissions from fuel combustion (Mt of CO <sub>2</sub> )		
Flow	Short name	Definition
Memo: Total final consumption	TFC	<i>Total final consumption</i> contains the emissions from the end-use sectors (industry, transport, commercial/institutional activities, residential, agriculture/forestry, fishing and other emissions not specified). Emissions related to the energy used for transformation processes and for own use of the energy producing industries are excluded. Final consumption emissions reflect for the most part emissions at the consumer level. Note that <i>international marine bunkers</i> and <i>international aviation bunkers</i> are not included at a national or regional level (except for World emissions). In the 2006 GLs, the sub-categories also include emissions from auto-producers that generate electricity and/or heat. The IEA data are not collected in a way that allows the autoproducer consumption to be split by specific end-use and therefore, this publication shows autoproducers as a separate item ( <i>unallocated auto-producers</i> ).
Memo: International marine bunkers	MARBUNK	<i>International marine bunkers</i> contains emissions from fuels burned by ships of all flags that are engaged in international navigation. The international navigation may take place at sea, on inland lakes and waterways, and in coastal waters. Consumption by ships engaged in domestic navigation is excluded. The domestic/international split is determined on the basis of port of departure and port of arrival, and not by the flag or nationality of the ship. Consumption by fishing vessels and by military forces is also excluded. Emissions from international marine bunkers should be excluded from the national totals. This corresponds to IPCC Source/Sink Category 1 A 3 d i.
Memo: International aviation bunkers	AVBUNK	<i>International aviation bunkers</i> contains emissions from fuels used by aircraft for international aviation. Fuels used by airlines for their road vehicles are excluded. The domestic/international split should be determined on the basis of departure and landing locations and not by the nationality of the airline. Emissions from international aviation bunkers should be excluded from the national totals. This corresponds to IPCC Source/Sink Category 1 A 3 a i.

## CO<sub>2</sub> emissions from fuel combustion (Mt of CO<sub>2</sub>)

Flow	Short name	Definition
Memo: electricity and heat production	ELECHEAT	<p>Electricity and heat production contains the sum of emissions from electricity production, combined heat and power plants and heat plants. It is the sum of main activity producers and autoproducers. Emissions from own on-site use of fuel are included.</p> <p>In the summary file WORLD_CO<sub>2</sub>.IVT, this is not a memo item and the long-name adopted is: Electricity and heat generation.</p> <p>For the most recent year available, this value is estimated for all countries providing provisional information on electricity and heat production. Values for every type of fuel are calculated based on provisional data for electricity and heat outputs and on 2016 carbon emission factors, according to the following equation:</p> $ELECHEAT_{i,2017} = (EOUTPUT_{i,2017} + HEATOUT_{i,2017}) \times CO_2kWh_{i,2016}$ <p>where:</p> <p>CO<sub>2</sub>kWh: carbon emission factors (in CO<sub>2</sub>/kWh) for electricity and heat together, for the year 2016.</p> <p><i>EOUTPUT + HEATOUT</i>: total electricity plus heat output (GWh).</p> <p><i>i</i>: fuel type, e.g. anthracite, diesel, natural gas...</p>

<b>Indicators</b>		
<b>Flow</b>	<b>Short name</b>	<b>Notes</b>
Total primary energy supply (PJ)	TPESPJ	<p>Total primary energy supply from the <i>IEA World Energy Balances</i> (converted to PJ).</p> <p>Total primary energy supply (TPES) is made up of production + imports - exports - international marine bunkers - <i>international aviation bunkers</i> ± stock changes.</p> <p>The IPCC methodology does not assign any CO<sub>2</sub> emissions to fuel use of biofuels <i>per se</i>, only if it is used in an unsustainable way. This is evaluated in the Agriculture, Forestry and Other Land Use module of the <i>2006 GLs</i>. So although the inclusion of biomass in the IEA energy data does not alter its CO<sub>2</sub> emission estimates, it gives more insight into the CO<sub>2</sub> intensity of national energy use.</p>
Total primary energy supply (Mtoe)	TPESMTOE	<p>Total primary energy supply from the <i>IEA World Energy Balances</i>.</p> <p>Total primary energy supply (TPES) is made up of production + imports - exports - international marine bunkers - <i>international aviation bunkers</i> ± stock changes.</p> <p>The IPCC methodology does not assign any CO<sub>2</sub> emissions to fuel use of biofuels <i>per se</i>, only if it is used in an unsustainable way. This is evaluated in the Agriculture, Forestry and Other Land Use module of the <i>2006 GLs</i>. So although the inclusion of biomass in the IEA energy data does not alter its CO<sub>2</sub> emission estimates, it gives more insight into the CO<sub>2</sub> intensity of national energy use.</p>
Total final consumption (TFC) (PJ)	TFCPJ	<p>Total final consumption from the <i>IEA World Energy Balances</i> (converted to PJ).</p> <p>The IPCC methodology does not assign any CO<sub>2</sub> emissions to fuel use of biofuels <i>per se</i>, only if it is used in an unsustainable way. This is evaluated in the Agriculture, Forestry and Other Land Use module of the <i>2006 GLs</i>. So although the inclusion of biomass in the IEA energy data does not alter its CO<sub>2</sub> emission estimates, it gives more insight into the CO<sub>2</sub> intensity of national energy use.</p>
Total final consumption (TFC) (Mtoe)	TFCMTOE	<p>Total final consumption from the <i>IEA World Energy Balances</i>.</p> <p>The IPCC methodology does not assign any CO<sub>2</sub> emissions to fuel use of biofuels <i>per se</i>, only if it is used in an unsustainable way. This is evaluated in the Agriculture, Forestry and Other Land Use module of the <i>2006 GLs</i>. So although the inclusion of biomass in the IEA energy data does not alter its CO<sub>2</sub> emission estimates, it gives more insight into the CO<sub>2</sub> intensity of national energy use.</p>

<b>Indicators</b>		
<b>Flow</b>	<b>Short name</b>	<b>Notes</b>
GDP (billion 2010 US dollars)	GDP	<p><b>For OECD countries:</b></p> <p>The main source of these series for 1970 to 2017 is the OECD <i>National Accounts Statistics</i> database [ISSN: 2074-3947 (online)], last published in book format as <i>National Accounts of OECD Countries, Volume 2018 Issue1: Main Aggregates</i>, OECD 2018. GDP data for <b>Australia, France, Greece, Korea, Sweden</b> and the <b>United Kingdom</b> for 1960 to 1969 and <b>Denmark</b> for 1966 to 1969 as well as for <b>Netherlands</b> for 1969 were taken from the same source. GDP data for 1960 to 1969 for the other countries have been estimated using the growth rates from the series in the <i>OECD Economic Outlook</i> No 98 and other data previously published by the OECD. Growth rates from these sources were also used to estimate data for the <b>Czech Republic</b> (prior to 1990), <b>Hungary</b> (prior to 1991) and <b>Poland</b> (prior to 1990) and the <b>Slovak Republic</b> (prior to 1992). Data for <b>Chile</b> (prior to 1986) and <b>Estonia</b> (prior to 1992) are IEA Secretariat estimates based on GDP growth rates from the World Bank.</p> <p>The GDP data have been compiled for all individual countries at market prices in 2010 US dollars.</p> <p><b>For non-OECD countries:</b></p> <p>The main source of the GDP data is <i>World Development Indicators</i>, The World Bank, Washington D.C., 2018. GDP figures for, <b>Gibraltar, Democratic People's Republic of Korea, Former Soviet Union</b> (before 1990), <b>Syrian Arab Republic, Chinese Taipei, Former Yugoslavia</b> (before 1990) and a few countries within the regions <b>Other Africa, Other non-OECD Americas</b> and <b>Other non-OECD Asia</b> are based on the CHELEM-CEPII online databases, Bureau van Dijk, 2018.</p> <p>GDP figures for <b>Albania</b> (1971-1979), <b>Angola</b> (1971-1984), <b>Bahrain</b> (1971-1980 and 2016), <b>Bosnia and Herzegovina</b> (1990-1993), <b>Brunei</b> (1971-1974), <b>Bulgaria</b> (1971-1979), <b>Croatia</b> (1990-1994), <b>Cuba</b> (2016), <b>Eritrea</b> (2012-2016), <b>Ethiopia</b> (1971-1980), <b>Haiti</b> (1971-1997), <b>Iran</b> (2016), <b>Jordan</b> (1971-1974), <b>Kuwait</b> (1971-1991 and 2016), <b>Lebanon</b> (1971-1987), <b>Libya</b> (1971-1998 and 2012-2016), <b>Lithuania</b> (1990-1994), <b>Mauritius</b> (1971-1975), <b>Moldova</b> (1990-1994), <b>Mozambique</b> (1971-1979), <b>Oman</b> (2016), <b>Romania</b> (1971-1989), <b>Russia</b> (1990-1994), <b>Tanzania</b> (1971-1987), <b>United Arab Emirates</b> (1971-1974), <b>Venezuela</b> (2013-2016) and <b>Vietnam</b> (1971-1983), <b>Yemen</b> (1971-1989), have been estimated based on the growth rates of the CHELEM-CEPII online database, Bureau van Dijk, 2018. The GDP 2016 figure for <b>Greenland</b> is calculated based on historical data based on <i>World Development Indicators</i>, The World Bank, Washington D.C., 2018. For <b>Curaçao</b>, GDP figures are based on historical CHELEM-CEPII GDP data for Netherlands Antilles before the country's dissolution, and on Curaçao/Sint Maarten nominal GDP ratios calculated based on information received from Curaçao Central bank. For <b>South Sudan</b>, GDP figures are based on data from the International Monetary Fund.</p> <p>The GDP data have been compiled for all individual countries at market prices in 2010 US dollars.</p>

Indicators		
Flow	Short name	Notes
GDP PPP <sup>1</sup> (billion 2010 US dollars)	GDPPPP	<p><b>For OECD countries:</b> See <i>GDP using exchange rates</i> for sources.</p> <p><b>For non-OECD countries:</b> The main source of the GDP PPP data is <i>World Development Indicators</i>, The World Bank, Washington, D.C., 2018. However, this source is available for GDP PPP (constant 2011 US dollars scaled to the levels of 2010 using current PPP US dollars) only from 1990. Therefore, prior to 1990 GDP PPP data have been calculated based on the PPP conversion factor (GDP) to market exchange rate ratio.</p> <p>GDP PPP figures for <b>Democratic People's Republic of Korea, Former Soviet Union</b> (before 1990), <b>Syrian Arab Republic, Chinese Taipei, Former Yugoslavia</b> (before 1990) and a few countries within the regions <b>Other Africa, Other non-OECD Americas and Other non-OECD Asia</b> are based on the CHELEM-CEPII online databases, Bureau van Dijk, 2018. The GDP PPP data have been converted from GDP using purchasing power parity rates. These data have been scaled to the price levels of 2010.</p> <p>For <b>Gibraltar</b>, GDP PPP figures are based on historical CHELEM-CEPII GDP PPP data and government of Gibraltar national accounts. For <b>Curaçao</b>, GDP PPP figures are based on historical CHELEM-CEPII GDP data for Netherlands Antilles before its dissolving, and for 2012-2015 GDP PPP is calculated based on historical GDP PPP / GDP ratio. For <b>South Sudan</b>, GDP PPP figures are based on International Monetary Fund data.</p> <p>GDP PPP figures for <b>Bahrain</b> (2016), <b>Bosnia and Herzegovina</b> (1990-1993), <b>Croatia</b> (1990-1994), <b>Cuba, Eritrea</b> (2012-2016), <b>Haiti</b> (1990-1997), <b>Iraq</b> (1990-1999), <b>Kuwait</b> (1990-1991), <b>Libya</b> (1990-1998 and 2012-2016), <b>Lithuania</b> (1990-1994), <b>Moldova</b> (1990-1994), <b>Oman</b> (2016), <b>Serbia</b> (1990-1994), <b>Qatar</b> (1990-2000) and <b>Venezuela</b> (2015-2016) have been estimated using the ratio of GDP PPP and GDP data based on CHELEM-CEPII online database, Bureau van Dijk, 2018. These data have been scaled to the price levels of 2010.</p> <p>The GDP PPP reflect the changes to power purchasing parity rates based on the 2011 International Comparison Program (ICP), published in 2014. The ICP has worked for 6 years to better estimate the value of the PPP 'basket of goods' for all countries for which the World Bank calculates GDP PPP. For many countries, this value has significantly changed in comparison to previous ICP exercises. This leads to significant revisions to GDP PPP for many countries compared to previous publications.</p> <p>Please note that the regional totals shown for OECD and other regions were calculated by summing individual countries' GDP data. This calculation yields slightly different results to the GDP totals published by OECD in its national accounts which are derived from chained-linked indices. GDP data from the World Bank have also been summed rather than using chain-linked indices.</p>

1. Purchasing power parities (PPPs) are the rates of currency conversion that equalise the purchasing power of different currencies. A given sum of money, when converted into different currencies at the PPP rates, buys the same basket of goods and services in all countries. In other words, PPPs are the rates of currency conversion which eliminate the differences in price levels between different countries.

Indicators		
Flow	Short name	Notes
TPES / GDP (MJ per 2010 USD)	TPESGDP	This ratio is expressed in megajoules per 2010 US dollar. It has been calculated using total primary energy supply (including biofuels and other non-fossil forms of energy) and GDP calculated using exchange rates.
TPES / GDP PPP (MJ per 2010 USD PPP)	TPESGDPPP	This ratio is expressed in megajoules per 2010 US dollar. It has been calculated using total primary energy supply (including biofuels and other non-fossil forms of energy) and GDP calculated using purchasing power parities.
Population (millions)	POP	<p><b>For OECD countries:</b></p> <p>The main source of these series for 1970 to 2016 when available is the OECD <i>National Accounts Statistics</i> database [ISSN: 2074-3947 (online)], last published in book format as <i>National Accounts of OECD Countries, Volume 2016 Issue 2: Main Aggregates</i>, OECD 2017. Data for 2016 for <b>Australia, Canada, Chile, Greece, Iceland, Israel, Japan, Korea, Mexico, New Zealand, the Slovak Republic, Switzerland, Turkey and the United States</b> were estimated using the growth rates from the population series in <i>OECD Economic Outlook No. 95</i>, long-term baseline projections. Data for 1960 to 1969 have been estimated using the growth rates from the population series published in the <i>OECD Factbook 2015</i> (online database version). Growth rates from the <i>OECD Factbook 2015</i> were also used to estimate data for <b>Chile</b> (prior to 1986), <b>Estonia</b> (prior to 1993), <b>Israel</b> (prior to 1995), the <b>Slovak Republic</b> (prior to 1990) and <b>Slovenia</b> (prior to 1995).</p> <p><b>For non-OECD countries:</b></p> <p>The main source of the population data is <i>World Development Indicators</i>, The World Bank, Washington D.C., 2016.</p> <p>Population data for <b>Former Soviet Union</b> (before 1990), <b>Chinese Taipei</b>, <b>Former Yugoslavia</b> (before 1990) and for a few countries within the regions <b>Other Africa</b>, <b>Other non-OECD Americas</b> and <b>Other non-OECD Asia</b> are based on the CHELEM-CEPII online database, Bureau van Dijk, Paris, 2017. Population data for <b>Cyprus</b><sup>2</sup> are taken from the Eurostat online database. Population data for <b>Gibraltar</b> are taken from the Government of Gibraltar <i>Key Indicators</i> publication available online.</p>
CO <sub>2</sub> / TPES (tCO <sub>2</sub> per TJ)	CO2TPES	This ratio is expressed in tonnes of CO <sub>2</sub> per terajoule. It has been calculated using the total CO <sub>2</sub> fuel combustion emissions (CO2FCOMB) and total primary energy supply (including biofuels and other non-fossil forms of energy).

2. Please refer to the section on Geographical coverage.

Indicators		
Flow	Short name	Notes
CO <sub>2</sub> / TFC (tCO <sub>2</sub> per TJ)	CO2TFC	This ratio is expressed in tonnes of CO <sub>2</sub> per terajoule. It has been calculated using the total CO <sub>2</sub> fuel combustion emissions (CO2FCOMB) and total final consumption (including biofuels and other non-fossil forms of energy).
CO <sub>2</sub> / GDP (kgCO <sub>2</sub> per 2010 US dollar)	CO2GDP	This ratio is expressed in kilogrammes of CO <sub>2</sub> per 2010 US dollar. It has been computed using the total CO <sub>2</sub> fuel combustion (CO2FCOMB) emissions and GDP calculated using exchange rates.
Industry CO <sub>2</sub> / GDP (kgCO <sub>2</sub> per 2010 US dollar)	CO2GDP_I	This ratio is expressed in kilogrammes of CO <sub>2</sub> per 2010 US dollar. It has been computed using <i>Manufacturing industries and construction</i> CO <sub>2</sub> emissions (TOTIND) and total GDP calculated using exchange rates.
Transport CO <sub>2</sub> / GDP (kgCO <sub>2</sub> per 2010 US dollar)	CO2GDP_T	This ratio is expressed in kilogrammes of CO <sub>2</sub> per 2010 US dollar. It has been computed using <i>Transport</i> CO <sub>2</sub> emissions (TOTTRANS) and total GDP calculated using exchange rates.
Services CO <sub>2</sub> / GDP (kgCO <sub>2</sub> per 2010 US dollar)	CO2GDP_S	This ratio is expressed in kilogrammes of CO <sub>2</sub> per 2010 US dollar. It has been computed using <i>Commercial and public services</i> CO <sub>2</sub> emissions (COMMPUB) and total GDP calculated using exchange rates.
Residential CO <sub>2</sub> / GDP (kgCO <sub>2</sub> per 2010 US dollar)	CO2GDP_R	This ratio is expressed in kilogrammes of CO <sub>2</sub> per 2010 US dollar. It has been computed using <i>Residential</i> CO <sub>2</sub> emissions (RESIDENT) and total GDP calculated using exchange rates.
CO <sub>2</sub> / GDP PPP (kgCO <sub>2</sub> per 2010 US dollar)	CO2GDPPP	This ratio is expressed in kilogrammes of CO <sub>2</sub> per 2010 US dollar. It has been calculated using CO <sub>2</sub> Fuel Combustion emissions (CO2FCOMB) and GDP calculated using purchasing power parities.
Industry CO <sub>2</sub> / GDP PPP (kgCO <sub>2</sub> per 2010 US dollar)	CO2GDPPP_I	This ratio is expressed in kilogrammes of CO <sub>2</sub> per 2010 US dollar. It has been calculated using <i>Manufacturing industries and construction</i> CO <sub>2</sub> emissions (TOTIND) and total GDP calculated using purchasing power parities.
Transport CO <sub>2</sub> / GDP PPP (kgCO <sub>2</sub> per 2010 US dollar)	CO2GDPPP_T	This ratio is expressed in kilogrammes of CO <sub>2</sub> per 2010 US dollar. It has been calculated using <i>Transport</i> CO <sub>2</sub> emissions (TOTTRANS) and total GDP calculated using purchasing power parities.
Services CO <sub>2</sub> / GDP PPP (kgCO <sub>2</sub> per 2010 US dollar)	CO2GDPPP_S	This ratio is expressed in kilogrammes of CO <sub>2</sub> per 2010 US dollar. It has been calculated using the <i>Commercial and public services</i> CO <sub>2</sub> emissions (COMMPUB) and total GDP calculated using purchasing power parities.
Residential CO <sub>2</sub> / GDP PPP (kgCO <sub>2</sub> per 2010 US dollar)	CO2GDPPP_R	This ratio is expressed in kilogrammes of CO <sub>2</sub> per 2010 US dollar. It has been calculated using <i>Residential</i> CO <sub>2</sub> emissions (RESIDENT) and total GDP calculated using purchasing power parities.
CO <sub>2</sub> / Population (tCO <sub>2</sub> per capita)	CO2POP	This ratio is expressed in tonnes of CO <sub>2</sub> per capita. It has been calculated using CO <sub>2</sub> Fuel Combustion emissions (CO2FCOMB).

Indicators		
Flow	Short name	Notes
Industry CO <sub>2</sub> / Population (tCO <sub>2</sub> per capita)	CO2POP_I	This ratio is expressed in tonnes of CO <sub>2</sub> per capita. It has been calculated using <i>Manufacturing industries and construction</i> CO <sub>2</sub> emissions (TOTIND).
Transport CO <sub>2</sub> / Population (tCO <sub>2</sub> per capita)	CO2POP_T	This ratio is expressed in tonnes of CO <sub>2</sub> per capita. It has been calculated using the <i>Transport</i> CO <sub>2</sub> emissions (TOTTRANS).
Services CO <sub>2</sub> / Population (tCO <sub>2</sub> per capita)	CO2POP_S	This ratio is expressed in tonnes of CO <sub>2</sub> per capita. It has been calculated using <i>Commercial and public services</i> CO <sub>2</sub> emissions (COMMPUB).
Residential CO <sub>2</sub> / Population (tCO <sub>2</sub> per capita)	CO2POP_R	This ratio is expressed in tonnes of CO <sub>2</sub> per capita. It has been calculated using <i>Residential</i> CO <sub>2</sub> emissions (RESIDENT).
CO <sub>2</sub> emissions index	ICO2EMIS	CO <sub>2</sub> Fuel Combustion emissions (CO2FCOMB) expressed as an index, where the reference year = 100. Aside from the following exceptions, 1990 is used as the reference year: <b>Bulgaria</b> (1988), <b>Cambodia</b> (1995), <b>Eritrea</b> (1992), <b>Hungary</b> (average 1985-1987), <b>Kosovo</b> (2000), <b>Montenegro</b> (2005), <b>Namibia</b> (1991), <b>Niger</b> (2000), <b>Poland</b> (1988), <b>Romania</b> (1989), <b>Slovenia</b> (1986), <b>South Sudan</b> (2012) and <b>Suriname</b> (2000).
Population index	IPOP	Population expressed as an index, where the reference year = 100. Aside from the following exceptions, 1990 is used as the reference year: <b>Bulgaria</b> (1988), <b>Cambodia</b> (1995), <b>Eritrea</b> (1992), <b>Hungary</b> (average 1985-1987), <b>Kosovo</b> (2000), <b>Montenegro</b> (2005), <b>Namibia</b> (1991), <b>Niger</b> (2000), <b>Poland</b> (1988), <b>Romania</b> (1989), <b>Slovenia</b> (1986), <b>South Sudan</b> (2012) and <b>Suriname</b> (2000). This index can be used as one of the constituents of the Kaya identity, for more information see the chapter <i>IEA emissions estimates</i> in the full publication.
GDP per population index	IGDPPOP	GDP PPP / population expressed as an index, where the reference year = 100. Aside from the following exceptions, 1990 is used as the reference year: <b>Bulgaria</b> (1988), <b>Cambodia</b> (1995), <b>Eritrea</b> (1992), <b>Hungary</b> (average 1985-1987), <b>Kosovo</b> (2000), <b>Montenegro</b> (2005), <b>Namibia</b> (1991), <b>Niger</b> (2000), <b>Poland</b> (1988), <b>Romania</b> (1989), <b>Slovenia</b> (1986), <b>South Sudan</b> (2012) and <b>Suriname</b> (2000). This index can be used as one of the constituents of the Kaya identity, for more information see the chapter <i>IEA emissions estimates</i> in the full publication.

Indicators		
Flow	Short name	Notes
Energy intensity index - TPES/GDP	ITPESGDP	<p>TPES / GDP PPP expressed as an index, where the reference year = 100. Aside from the following exceptions, 1990 is used as the reference year:</p> <p><b>Bulgaria</b> (1988), <b>Cambodia</b> (1995), <b>Eritrea</b> (1992), <b>Hungary</b> (average 1985-1987), <b>Kosovo</b> (2000), <b>Montenegro</b> (2005), <b>Namibia</b> (1991), <b>Niger</b> (2000), <b>Poland</b> (1988), <b>Romania</b> (1989), <b>Slovenia</b> (1986), <b>South Sudan</b> (2012) and <b>Suriname</b> (2000).</p> <p>This index can be used as one of the constituents of the Kaya identity, for more information see the chapter <i>IEA emissions estimates</i> in the full publication.</p>
Carbon intensity index – ESCII: CO <sub>2</sub> /TPES	ICO2TPES	<p>CO<sub>2</sub> emissions / TPES expressed as an index, where the reference year = 100. Calculated using CO<sub>2</sub> Fuel Combustion emissions (CO<sub>2</sub>FCOMB). Aside from the following exceptions, 1990 is used as the reference year:</p> <p><b>Bulgaria</b> (1988), <b>Cambodia</b> (1995), <b>Eritrea</b> (1992), <b>Hungary</b> (average 1985-1987), <b>Kosovo</b> (2000), <b>Montenegro</b> (2005), <b>Namibia</b> (1991), <b>Niger</b> (2000), <b>Poland</b> (1988), <b>Romania</b> (1989), <b>Slovenia</b> (1986), <b>South Sudan</b> (2012) and <b>Suriname</b> (2000).</p> <p>This index can be used as one of the constituents of the Kaya identity, for more information see the chapter <i>IEA emissions estimates</i> in the full publication.</p>

## Allocation of emissions from electricity/heat

Flow	Allocation	Definition
Emissions by sector	NO	Expressed in million tonnes of CO <sub>2</sub> . This allocation type shows emissions for the same sectors which are present in the file CO <sub>2</sub> Emissions From Fuel Combustion. In particular, the emissions from electricity and heat production are shown separately and not reallocated.
Emissions with electricity and heat allocated to consuming sectors	YES	Expressed in million tonnes of CO <sub>2</sub> . Emissions from electricity and heat generation have been allocated to final consuming sectors in proportion to the electricity and heat consumed.
Per capita emissions by sector	NOP	These ratios are expressed in kilogrammes of CO <sub>2</sub> per capita. This allocation type shows per capita emissions for the same sectors which are present in the file CO <sub>2</sub> Emissions From Fuel Combustion. In particular, the emissions from electricity and heat production are shown separately and not reallocated.
Per capita emissions with electricity and heat allocated to consuming sectors	YESP	These ratios are expressed in kilogrammes of CO <sub>2</sub> per capita. Emissions from electricity and heat generation have been allocated to final consuming sectors in proportion to the electricity and heat consumed.

IPCC Fuel Combustion Emissions (2006 Guidelines)		
Flow	Short name	Definition
CO <sub>2</sub> Fuel Combustion (Energy & IPPU)	CO2FCOMB	<p><i>CO<sub>2</sub> Fuel Combustion (Energy &amp; IPPU)</i> presents total CO<sub>2</sub> emissions from fuel combustion. This includes CO<sub>2</sub> emissions from fuel combustion in IPCC Source/Sink Category 1 A Fuel Combustion Activities and those which may be excluded from the Sectoral Approach and reallocated to IPCC Source/Sink Category 2 Industrial Processes and Product Use (IPPU) under the 2006 IPCC Guidelines (2006 GLs).</p> <p>CO2FCOMB = CO2SA + IPPUFCOMB</p>
CO <sub>2</sub> Sectoral Approach (Energy)	CO2SA	<p><i>CO<sub>2</sub> Sectoral Approach (Energy)</i> presents total CO<sub>2</sub> emissions from fuel combustion as calculated using the IPCC Tier 1 Sectoral Approach of the 2006 GLs and corresponds to IPCC Source/Sink Category 1 A.</p> <p>Under the 2006 GLs, certain fuel combustion emissions may be excluded from the Sectoral Approach and reallocated to the IPCC Source/Sink Category Industrial Processes and Product Use (IPPU). For the IEA Sectoral Approach calculations, these reallocated emissions have been excluded, and are presented separately (under <i>IPPU CO<sub>2</sub> Fuel combustion – Total reallocated [IPPU]</i>).</p>
IPPU CO <sub>2</sub> Fuel combustion – Total reallocated (IPPU)	IPPUFCOMB	<p><i>IPPU CO<sub>2</sub> Fuel combustion – Total reallocated (IPPU)</i> presents the total quantity of CO<sub>2</sub> emissions from fuel combustion which may be excluded from the Sectoral Approach and reallocated to IPCC Source/Sink Category Industrial Processes and Product Use (IPPU) under the 2006 GLs.</p> <p>IPPUFCOMB = IPPUIRON + IPPUNFERR + IPPUAUTOP + IPPUEPOWER + IPPUEBLAST</p>
CO <sub>2</sub> Reference Approach (Energy)	CO2RA	<p><i>CO<sub>2</sub> Reference Approach (Energy)</i> contains total CO<sub>2</sub> emissions from fuel combustion as calculated using the Reference Approach of the 2006 GLs. The Reference Approach is based on the supply of energy in a country and as a result, all inventories calculated using this method include fugitive emissions from energy transformation (e.g. from oil refineries) which are normally included in Category 1 B. For this reason, Reference Approach estimates are likely to overestimate national CO<sub>2</sub> emissions from fuel combustion.</p> <p>Under the 2006 GLs, certain fuel combustion emissions are excluded from the Reference Approach as they are accounted for IPCC Source/Sink Categories other than Energy. For the purposes of these IEA Reference Approach estimates, these emissions have been excluded.</p> <p>In these tables, the difference between the Sectoral Approach and the Reference Approach includes statistical differences, product transfers, transformation losses, distribution losses. In addition, some differences between the approaches may occur due to simplifications in the Reference Approach.</p> <p>CO2RA = CO2SA + TRANDIFF + STATDIFF</p>

IPCC Fuel Combustion Emissions (2006 Guidelines)		
Flow	Short name	Definition
Difference due to losses and/or transformation (Energy)	TRANDIFF	<p><i>Differences due to losses and/or transformation</i> contains emissions that result from the transformation of energy from a primary fuel to a secondary or tertiary fuel. Included here are solid fuel transformation, oil refineries, gas works and other fuel transformation industries. These emissions are normally reported as fugitive emissions in the IPCC Source/Sink Category 1 B, but will be included in 1 A in inventories that are calculated using the IPCC Reference Approach. Theoretically, this category should show relatively small emissions representing the loss of carbon by other ways than combustion, such as evaporation or leakage.</p> <p>Negative emissions for one product and positive emissions for another product would imply a change in the classification of the emission source as a result of an energy transformation between coal and gas, between coal and oil, etc. In practice, however, it often proves difficult to correctly account for all inputs and outputs in energy transformation industries, and to separate energy that is transformed from energy that is combusted. Therefore, <i>differences due to losses and/or transformation</i> sometimes shows quite large positive emissions or even negative ones due to problems in the underlying energy data.</p>
Statistical Differences (Energy)	STATDIFF	<p><i>Statistical differences</i> can be due to unexplained discrepancies in the underlying energy data. They can also be caused by differences between emissions calculated using the Reference Approach and the Sectoral Approach.</p>
Memo: IPPU CO <sub>2</sub> Fuel combustion – Iron and steel (IPPU)	IPPUIRON	<p><i>IPPU CO<sub>2</sub> Fuel combustion – Iron and steel (IPPU)</i> presents the CO<sub>2</sub> emissions from fuel combustion which may be excluded from the iron and steel sector under the Sectoral Approach and reallocated to IPCC Source/Sink Category Industrial Processes and Product Use (IPPU) under the 2006 GLs.</p> <p>This contains emissions from coke oven coke, coke oven gas, blast furnace gas and other recovered gases reported under <i>Iron and steel</i>.</p>
Memo: IPPU CO <sub>2</sub> Fuel combustion – Non-ferrous metals (IPPU)	IPPUNFERR	<p><i>IPPU CO<sub>2</sub> Fuel combustion – Non-ferrous metals (IPPU)</i> presents the CO<sub>2</sub> emissions from fuel combustion which may be excluded from the non-ferrous metals sector under the Sectoral Approach and reallocated to IPCC Source/Sink Category Industrial Processes and Product Use (IPPU) under the 2006 GLs.</p> <p>This contains emissions from coke oven coke reported under <i>Non-ferrous metals</i>.</p>

IPCC Fuel Combustion Emissions (2006 Guidelines)		
Flow	Short name	Definition
Memo: IPPU CO <sub>2</sub> Fuel combustion – Autoproducers (IPPU)	IPPUAUTOP	<p><i>IPPU CO<sub>2</sub> Fuel combustion – Autoproducer (IPPU)</i> presents the CO<sub>2</sub> emissions from fuel combustion which may be excluded from the autoproduction sector under the Sectoral Approach and reallocated to IPCC Source/Sink Category Industrial Processes and Product Use (IPPU) under the 2006 GLs.</p> <p>This contains emissions from coke oven gas, blast furnace gas and other recovered gases reported under <i>Unallocated autoproducers</i>. For the purposes of IEA Sectoral Approach estimates, auto-producer consumption of these gases is assumed to occur within the iron and steel sector.</p>
Memo: IPPU CO <sub>2</sub> Fuel combustion – Autoproducer own use (IPPU)	IPPUPOWER	<p><i>IPPU CO<sub>2</sub> Fuel combustion – Autoproducer own use (IPPU)</i> presents the CO<sub>2</sub> emissions from fuel combustion which may be excluded from autoproducer on-site own use under the Sectoral Approach and reallocated to IPCC Source/Sink Category Industrial Processes and Product Use (IPPU) under the 2006 GLs.</p> <p>This contains emissions from coke oven gas, blast furnace gas and other recovered gases reported under <i>Own on-site use of fuel in electricity, CHP and heat plants</i>. For the purposes of IEA Sectoral Approach estimates, autoproducer consumption of these gases is assumed to occur within the iron and steel sector.</p>
Memo: IPPU CO <sub>2</sub> Fuel combustion – Blast furnace energy (IPPU)	IPPUBLAST	<p><i>IPPU CO<sub>2</sub> Fuel combustion – Blast furnace energy (IPPU)</i> presents the CO<sub>2</sub> emissions from fuel combustion which may be excluded from energy use in blast furnaces under the Sectoral Approach and reallocated to IPCC Source/Sink Category Industrial Processes and Product Use (IPPU) under the 2006 GLs.</p> <p>This contains emissions from coke oven coke, coke oven gas, blast furnace gas and other recovered gases reported under <i>Energy use in blast furnaces</i>. For the purposes of IEA Sectoral Approach estimates, energy use in blast furnaces is assumed to occur within the iron and steel sector.</p>

<b>Aggregated product categories</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Total	TOTAL	TOTAL = the total of all CO <sub>2</sub> emissions from fuel combustion, i.e. COAL + OIL + NATGAS + OTHER.
Coal, peat and oil shale	COAL	Coal, peat and oil shale includes all coal, both primary (hard coal, brown coal, anthracite, coking coal, other bituminous coal, sub-bituminous coal and lignite) and derived fuels (patent fuel, coke oven coke, gas coke, coal tar, BKB, gas works gas, coke oven gas, blast furnace gas and other recovered gases). Peat, peat products and oil shale are also aggregated in this category.
Oil	OIL	Oil includes crude oil, natural gas liquids, refinery feedstocks, additives/blending components, orimulsion, other hydrocarbons, refinery gas, ethane, LPG, motor gasoline excl. biofuels, aviation gasoline, gasoline type jet fuel, kerosene type jet fuel excl. biofuels, kerosene, gas/diesel oil excl. biofuels, fuel oil, naphtha, white spirit, lubricants, bitumen, paraffin waxes, petroleum coke and non-specified oil products.
Natural gas	NATGAS	Gas represents natural gas. It excludes natural gas liquids.
Non-renewables wastes	OTHER	Other includes industrial waste and non-renewable municipal waste.
Memo: Biofuels and renewable wastes	BIOPROD	Includes biofuels (primary solid biofuels, biogases, biogasoline, biodiesels, bio jet kerosene and other liquid biofuels) and renewable wastes.

<b>Coal</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Hard coal (if no detail)	HARDCOAL	This item is only used if the detailed breakdown is not available. It includes anthracite, coking coal, other bituminous coal.
Brown coal (if no detail)	BROWN	This item is only used if the detailed breakdown is not available. It includes lignite and sub-bituminous coal.
Anthracite	ANTCOAL	Anthracite is a high rank coal used for industrial and residential applications. It is generally less than 10% volatile matter and a high carbon content (about 90% fixed carbon). Its gross calorific value is greater than 24 000 kJ/kg on an ash-free but moist basis.
Coking coal	COKCOAL	Coking coal refers to bituminous coal with a quality that allows the production of a coke suitable to support a blast furnace charge. Its gross calorific value is equal to or greater than 24 000 kJ/kg on an ash-free but moist basis.
Other bituminous coal	BITCOAL	Other bituminous coal is used mainly for steam raising and space heating purposes and includes all bituminous coal that is not included under coking coal nor anthracite. It is usually more than 10% volatile matter and a relatively high carbon content (less than 90% fixed carbon). Its gross calorific value is greater than 24 000 kJ/kg on an ash-free but moist basis.
Sub-bituminous coal	SUBCOAL	Non-agglomerating coals with a gross calorific value between 20 000 kJ/kg and 24 000 kJ/kg containing more than 31% volatile matter on a dry mineral matter free basis.
Lignite	LIGNITE	Lignite is a non-agglomerating coal with a gross calorific value of less than 20 000 kJ/kg, and greater than 31% volatile matter on a dry mineral matter free basis.
Patent Fuel	PATFUEL	Patent fuel is a composition fuel manufactured from hard coal fines with the addition of a binding agent. The amount of patent fuel produced may, therefore, be slightly higher than the actual amount of coal consumed in the transformation process. Consumption of patent fuels during the patent fuel manufacturing process is included under <i>energy industry own use</i> .
Coke oven coke	OVENCOKE	Coke oven coke is the solid product obtained from the carbonisation of coal, principally coking coal, at high temperature. It is low in moisture content and volatile matter. Coke oven coke is used mainly in the iron and steel industry, acting as energy source and chemical agent. Also included are semi-coke (a solid product obtained from the carbonisation of coal at a low temperature), lignite coke (a semi-coke made from lignite), coke breeze and foundry coke. The heading <i>energy industry own use</i> includes the consumption at the coking plants themselves. Consumption in the <i>iron and steel industry</i> does not include coke converted into blast furnace gas. To obtain the total emissions from coke oven coke in the iron and steel industry, the quantities converted into blast furnace gas have to be added (these are aggregated under differences due to transformations and/or losses).

<b>Coal</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Gas coke	GASCOKE	Gas coke is a by-product of hard coal used for the production of town gas in gas works. Gas coke is used for heating purposes. <i>Energy industry own use</i> includes the consumption of gas coke at gas works.
Coal tar	COALTAR	Coal tar is a result of the destructive distillation of bituminous coal. Coal tar is the liquid by-product of the distillation of coal to make coke in the coke oven process. Coal tar can be further distilled into different organic products (e.g. benzene, toluene, naphthalene), which normally would be reported as a feedstock to the petrochemical industry.
BKB	BKB	Brown coal briquettes (braunkohlebriketts) are composition fuels manufactured from lignite, produced by briquetting under high pressure with or without the addition of a binding agent. The heading <i>energy industry own use</i> includes consumption by briquetting plants.
Gas works gas	GASWKS GS	Gas works gas covers all types of gas produced in public utility or private plants, whose main purpose is the manufacture, transport and distribution of gas. It includes gas produced by carbonisation (including gas produced by coke ovens and transferred to gas works), by total gasification (with or without enrichment with oil products) and by reforming and simple mixing of gases and/or air.
Coke oven gas	COKEOVGS	Coke oven gas is obtained as a by-product of the manufacture of coke oven coke for the production of iron and steel.
Blast furnace gas	BLFURGS	Blast furnace gas is produced during the combustion of coke in blast furnaces in the iron and steel industry. It is recovered and used as a fuel, partly within the plant and partly in other steel industry processes or in power stations equipped to burn it.
Other recovered gases	OGASES	By-product of the production of steel in an oxygen furnace, recovered on leaving the furnace. The gases are also known as converter gas, LD gas or BOS gas. The quantity of recuperated fuel should be reported on a gross calorific value basis. Also covers non-specified manufactured gases not mentioned above, such as combustible gases of solid carbonaceous origin recovered from manufacturing and chemical processes not elsewhere defined.

Peat		
Flow	Short name	Definition
Peat	PEAT	Peat is a combustible soft, porous or compressed, fossil sedimentary deposit of plant origin with high water content (up to 90% in the raw state), easily cut, of light to dark brown colour. Peat used for non-energy purposes is not included here. Milled peat is included here.
Peat products	PEATPROD	Products such as peat briquettes derived directly or indirectly from sod peat and milled peat.

Oil shale		
Flow	Short name	Definition
Oil shale and oil sands	OILSHALE	Oil shale and oil sands are sedimentary rock which contains organic matter in the form of kerogen. Kerogen is a waxy hydrocarbon-rich material regarded as a precursor of petroleum. Oil shale may be burned directly or processed by heating to extract shale oil. Oil shale and tar sands used as inputs for other transformation processes are included here (this includes the portion consumed in the transformation process). Shale oil and other products derived from liquefaction are included in <i>other hydrocarbons</i> .

<b>Oil</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Crude/NGL/ feedstocks (if no detail)	CRNGFEED	This item is only used if the detailed breakdown is not available. It includes crude oil, natural gas liquids, refinery feedstocks, additives/blending components and other hydrocarbons.
Crude oil	CRUDEOIL	Crude oil is a mineral oil consisting of a mixture of hydrocarbons of natural origin and associated impurities, such as sulphur. It exists in the liquid phase under normal surface temperatures and pressure and its physical characteristics (density, viscosity, etc.) are highly variable. It includes field or lease condensates (separator liquids) which are recovered from associated and non-associated gas where it is commingled with the commercial crude oil stream.
Natural gas liquids	NGL	NGL are the liquid or liquefied hydrocarbons recovered from natural gas in separation facilities or gas processing plants. Natural gas liquids include ethane, propane, butane (normal and iso-), (iso) pentane and pentanes plus (sometimes referred to as natural gasoline or plant condensate).
Refinery feedstocks	REFFEEDS	A refinery feedstock is a processed oil destined for further processing (e.g. straight run fuel oil or vacuum gas oil) other than blending in the refining industry. It is transformed into one or more components and/or finished products. With further processing, it will be transformed into one or more components and/or finished products. This definition also covers returns from the petrochemical industry to the refining industry (e.g. pyrolysis gasoline, C4 fractions, gasoil and fuel oil fractions).
Additives / blending components	ADDITIVE	Additives are non-hydrocarbon substances added to or blended with a product to modify its properties, for example, to improve its combustion characteristics. Alcohols and ethers (MTBE, methyl tertiary-butyl ether) and chemical alloys such as tetraethyl lead are included here. The biomass fractions of biogasoline, biodiesel and ethanol are not included here, but under liquid biofuels. This differs from the presentation of additives in the <i>Oil Information</i> publication.
Orimulsion	ORIMUL	Emulsified oil made of water and natural bitumen.
Other hydrocarbons	NONCRUDE	This category includes synthetic crude oil from tar sands, shale oil, etc., liquids from coal liquefaction, output of liquids from natural gas conversion into gasoline and hydrogen. Orimulsion and oil shale are presented separately and not included here.
Refinery gas	REFINGAS	Refinery gas is defined as non-condensable gas obtained during distillation of crude oil or treatment of oil products (e.g. cracking) in refineries. It consists mainly of hydrogen, methane, ethane and olefins. It also includes gases which are returned from the petrochemical industry.
Ethane	ETHANE	Ethane is a naturally gaseous straight-chain hydrocarbon (C <sub>2</sub> H <sub>6</sub> ). It is a colourless paraffinic gas which is extracted from natural gas and refinery gas streams.

<b>Oil</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Liquefied petroleum gases	LPG	Liquefied petroleum gases are the light hydrocarbon fraction of the paraffin series, derived from refinery processes, crude oil stabilisation plants and natural gas processing plants, comprising propane (C <sub>3</sub> H <sub>8</sub> ) and butane (C <sub>4</sub> H <sub>10</sub> ) or a combination of the two. They could also include propylene, butylene, isobutene and isobutylene. LPG are normally liquefied under pressure for transportation and storage.
Motor gasoline excl. bio	NONBIOGASO	Motor gasoline is light hydrocarbon oil for use in internal combustion engines such as motor vehicles, excluding aircraft. Motor gasoline is distilled between 35°C and 215°C and is used as a fuel for land based spark ignition engines. Motor gasoline may include additives, oxygenates and octane enhancers, including lead compounds such as TEL (tetraethyl lead) and TML (tetramethyl lead). Motor gasoline excluding biofuels does not include the liquid biofuel or ethanol blended with gasoline - see liquid biofuels.
Aviation gasoline	AVGAS	Aviation gasoline is motor spirit prepared especially for aviation piston engines, with an octane number suited to the engine, a freezing point of -60°C, and a distillation range usually within the limits of 30°C and 180°C.
Gasoline type jet fuel	JETGAS	Gasoline type jet fuel includes all light hydrocarbon oils for use in aviation turbine power units, which distil between 100°C and 250°C. This fuel is obtained by blending kerosenes and gasoline or naphthas in such a way that the aromatic content does not exceed 25% in volume, and the vapour pressure is between 13.7 kPa and 20.6 kPa. Additives can be included to improve fuel stability and combustibility.
Kerosene type jet fuel excl. bio	NONBIOJETK	Kerosene type jet fuel is a medium distillate used for aviation turbine power units. It has the same distillation characteristics and flash point as kerosene (between 150°C and 300°C but not generally above 250°C). In addition, it has particular specifications (such as freezing point) which are established by the International Air Transport Association (IATA). It includes kerosene blending components. Kerosene type jet fuel excluding biofuels does not include the liquid biofuels blended with jet kerosene.
Other kerosene	OTHKERO	Kerosene (other than kerosene used for aircraft transport which is included with aviation fuels) comprises refined petroleum distillate intermediate in volatility between gasoline and gas/diesel oil. It is a medium oil distilling between 150°C and 300°C.

<b>Oil</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Gas/diesel oil excl. bio	NONBIODIES	Gas/diesel oil includes heavy gas oils. Gas oils are obtained from the lowest fraction from atmospheric distillation of crude oil, while heavy gas oils are obtained by vacuum redistillation of the residual from atmospheric distillation. Gas/diesel oil distils between 180°C and 380°C. Several grades are available depending on uses: diesel oil for diesel compression ignition (cars, trucks, marine, etc.), light heating oil for industrial and commercial uses, and other gas oil including heavy gas oils which distil between 380°C and 540°C and which are used as petrochemical feedstocks. Gas/diesel oil excluding biofuels does not include the liquid biofuels blended with gas/diesel oil – see liquid biofuels.
Fuel oil	RESFUEL	Fuel oil defines oils that make up the distillation residue. It comprises all residual fuel oils, including those obtained by blending. Its kinematic viscosity is above 10 cSt at 80°C. The flash point is always above 50°C and the density is always higher than 0.90 kg/l.
Naphtha	NAPHTHA	Naphtha is a feedstock destined either for the petrochemical industry (e.g. ethylene manufacture or aromatics production) or for gasoline production by reforming or isomerisation within the refinery. Naphtha comprises material that distils between 30°C and 210°C.
White spirit & SBP	WHITESP	White spirit and SBP are refined distillate intermediates with a distillation in the naphtha/kerosene range. White Spirit has a flash point above 30°C and a distillation range of 135°C to 200°C. Industrial Spirit (SBP) comprises light oils distilling between 30°C and 200°C, with a temperature difference between 5% volume and 90% volume distillation points, including losses, of not more than 60°C. In other words, SBP is a light oil of narrower cut than motor spirit. There are seven or eight grades of industrial spirit, depending on the position of the cut in the distillation range defined above.
Lubricants	LUBRIC	Lubricants are hydrocarbons produced from distillate or residue; they are mainly used to reduce friction between bearing surfaces. This category includes all finished grades of lubricating oil, from spindle oil to cylinder oil, and those used in greases, including motor oils and all grades of lubricating oil base stocks.
Bitumen	BITUMEN	Bitumen is a solid, semi-solid or viscous hydrocarbon with a colloidal structure that is brown to black in colour. It is obtained by vacuum distillation of oil residues from atmospheric distillation of crude oil. Bitumen is often referred to as asphalt and is primarily used for surfacing of roads and for roofing material. This category includes fluidised and cut back bitumen.
Paraffin waxes	PARWAX	Paraffin waxes are saturated aliphatic hydrocarbons. These waxes are residues extracted when dewaxing lubricant oils, and they have a crystalline structure which is more or less fine according to the grade. Their main characteristics are that they are colourless, odourless and translucent, with a melting point above 45°C.

<b>Oil</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Petroleum coke	PETCOKE	Petroleum coke is defined as a black solid residue, obtained mainly by cracking and carbonising of petroleum derived feedstocks, vacuum bottoms, tar and pitches in processes such as delayed coking or fluid coking. It consists mainly of carbon (90 to 95%) and has a low ash content. It is used as a feedstock in coke ovens for the steel industry, for heating purposes, for electrode manufacture and for production of chemicals. The two most important qualities are "green coke" and "calcined coke". This category also includes "catalyst coke" deposited on the catalyst during refining processes: this coke is not recoverable and is usually burned as refinery fuel.
Non-specified oil products	ONONSPEC	Other oil products not classified above (e.g. tar, sulphur and grease) are included here. This category also includes aromatics (e.g. BTX or benzene, toluene and xylene) and olefins (e.g. propylene) produced within refineries.

<b>Gas</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Natural gas	NATGAS	<p>Natural gas comprises gases, occurring in underground deposits, whether liquefied or gaseous, consisting mainly of methane. It includes both "non-associated" gas originating from fields producing only hydrocarbons in gaseous form, and "associated" gas produced in association with crude oil as well as methane recovered from coal mines (colliery gas) or from coal seams (coal seam gas).</p> <p>Production represents dry marketable production within national boundaries, including offshore production and is measured after purification and extraction of NGL and sulphur. It includes gas consumed by gas processing plants and gas transported by pipeline. Quantities of gas that are re-injected, vented or flared are excluded.</p>

<b>Other</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Industrial waste	INDWASTE	Industrial waste of non-renewable origin consists of solid and liquid products (e.g. tyres) combusted directly, usually in specialised plants, to produce heat and/or power. Renewable industrial waste is not included here.
Municipal waste (non-renewable)	MUNWASTEN	Municipal waste consists of products that are combusted directly to produce heat and/or power and comprises wastes produced by households, industry, hospitals and the tertiary sector that are collected by local authorities for incineration at specific installations. Renewable municipal waste is not included here.

## 4. GEOGRAPHICAL COVERAGE AND COUNTRY NOTES

<b>Countries and regions</b>		
<p>This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.</p>		
Country/Region	Short name	Definition
World	WORLD	<p>Includes OECD Total; Africa; non-OECD Asia (excluding China); China (P.R. of China and Hong Kong, China); Non-OECD Americas; Middle East; Non-OECD Europe and Eurasia; World aviation bunkers and World marine bunkers. It is also the sum of Africa (UN), Americas (UN), Asia (UN), Europe (UN), Oceania (UN), World aviation bunkers and World marine bunkers.</p> <p>It is also the sum of Africa, Americas, Asia, Europe, Oceania, World aviation bunkers and World marine bunkers.</p>
Memo: OECD Total	OECDTOT	<p>Includes Australia; Austria; Belgium; Canada; Chile; the Czech Republic; Denmark; Estonia; Finland; France; Germany; Greece; Hungary; Iceland; Ireland; Israel<sup>3</sup>; Italy; Japan; Korea; Latvia; Luxembourg; Mexico; the Netherlands; New Zealand; Norway; Poland; Portugal; the Slovak Republic; Slovenia; Spain; Sweden; Switzerland; Turkey; the United Kingdom and the United States.</p> <p>Estonia, Latvia and Slovenia are included starting in 1990. Prior to 1990, data for Estonia and Latvia are included in Former Soviet Union and data for Slovenia in Former Yugoslavia.</p>

3. The statistical data for Israel are supplied by and under the responsibility of the relevant Israeli authorities. The use of such data by the OECD is without prejudice to the status of the Golan Heights, East Jerusalem and Israeli settlements in the West Bank under the terms of international law.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, ‘country’ refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
OECD Americas	OECDAM	Includes Canada, Chile, Mexico and the United States.
OECD Asia Oceania	OECDAO	Includes Australia, Israel <sup>4</sup> , Japan, Korea and New Zealand.
OECD Europe	OECDEUR	Includes Austria, Belgium, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia <sup>5</sup> , Luxembourg, the Netherlands, Norway, Poland, Portugal, the Slovak Republic, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.
Africa	AFRICA	Includes Algeria, Angola, Benin, Botswana (from 1981), Cameroon, Republic of Congo (Congo) <sup>6</sup> , Côte d'Ivoire, Democratic Republic of Congo (from 1981), Egypt, Eritrea, Ethiopia, Gabon, Ghana, Kenya, Libya, Mauritius, Morocco, Mozambique, Namibia (from 1991), Niger (from 2000), Nigeria, Senegal, South Africa, South Sudan (from 2012), Sudan, United Republic of Tanzania, Togo, Tunisia, Zambia, Zimbabwe and <b>Other Africa</b> . Note that Africa is identical to Memo: Africa (UN).
Non-OECD Americas	LATAMER	Includes Argentina, the Plurinational State of Bolivia (Bolivia), Brazil, Colombia, Costa Rica, Cuba, Curaçao <sup>7</sup> , Dominican Republic, Ecuador, El Salvador, Guatemala, Haiti, Honduras, Jamaica, Nicaragua, Panama, Paraguay, Peru, Suriname (from 2000), Trinidad and Tobago, Uruguay, the Bolivarian Republic of Venezuela (Venezuela) and <b>Other non-OECD America</b> .
Middle East	MIDEAST	Includes Bahrain, Islamic Republic of Iran, Iraq, Jordan, Kuwait, Lebanon, Oman, Qatar, Saudi Arabia, Syrian Arab Republic, United Arab Emirates and Yemen.

4. The statistical data for Israel are supplied by and under the responsibility of the relevant Israeli authorities. The use of such data by the OECD is without prejudice to the status of the Golan Heights, East Jerusalem and Israeli settlements in the West Bank under the terms of international law.

5. Estonia, Latvia and Slovenia are included starting in 1990. Prior to 1990, data for Estonia and Latvia are included in Former Soviet Union and data for Slovenia in Former Yugoslavia.

6. Country short names are included in parentheses.

7. The Netherlands Antilles was dissolved on 10 October 2010 resulting in two new “constituent countries” (Curaçao and Sint Maarten) with the other islands joining The Netherlands as ‘special municipalities’. However, due to lack of detailed data the IEA secretariat’s data and estimates under the “Curaçao” still refer to the whole territory of the Netherlands Antilles as it was known prior to 10 October 2010 up to the end of 2011. Data refer only to the island of Curaçao from 2012. The other islands of the former Netherlands Antilles are added to **Other non-OECD Americas** from 2012.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Non-OECD Europe and Eurasia	EURASIA	Includes Albania; Armenia; Azerbaijan; Belarus; Bosnia and Herzegovina; Bulgaria; Croatia; Cyprus <sup>8</sup> ; Former Yugoslav Republic of Macedonia; Georgia; Gibraltar; Kazakhstan; Kosovo <sup>9</sup> ; Kyrgyzstan; Lithuania <sup>10</sup> ; Malta; Republic of Moldova (Moldova); Montenegro; Romania; Russian Federation; Serbia <sup>11</sup> ; Tajikistan; Turkmenistan; Ukraine; Uzbekistan; Former Soviet Union (prior to 1990) and Former Yugoslavia (prior to 1990).
Non-OECD Asia (excluding China)	ASIA	Includes Bangladesh, Brunei Darussalam, Cambodia (from 1995), DPR of Korea, India, Indonesia, Malaysia, Mongolia (from 1985), Myanmar, Nepal, Pakistan, Philippines, Singapore, Sri Lanka, Chinese Taipei, Thailand, Viet Nam and <b>Other non-OECD Asia</b> .
China (including Hong Kong, China)	CHINAREG	Includes the People's Republic of China and Hong Kong, China.
World Aviation Bunkers	WORLDAV	World Aviation Bunkers represents the sum of International Aviation Bunkers from all countries.
World Marine Bunkers	WORLDMAR	World Marine Bunkers represents the sum of International Marine Bunkers from all countries.
Albania	ALBANIA	
Algeria	ALGERIA	
Angola	ANGOLA	
Argentina	ARGENTINA	
Armenia	ARMENIA	Data for Armenia are available starting in 1990. Prior to that, they are included in Former Soviet Union.
Australia	AUSTRALI	Excludes the overseas territories.
Austria	AUSTRIA	

### 8. Note by Turkey:

*The information in this document with reference to "Cyprus" relates to the southern part of the Island. There is no single authority representing both Turkish and Greek Cypriot people on the Island. Turkey recognises the Turkish Republic of Northern Cyprus (TRNC). Until a lasting and equitable solution is found within the context of the United Nations, Turkey shall preserve its position concerning the "Cyprus issue".*

### Note by all the European Union Member States of the OECD and the European Union:

*The Republic of Cyprus is recognised by all members of the United Nations with the exception of Turkey. The information in this document relates to the area under the effective control of the Government of the Republic of Cyprus.*

9. This designation is without prejudice to positions on status, and is in line with United Nations Security Council Resolution 1244/99 and the Advisory Opinion of the International Court of Justice on Kosovo's declaration of independence.

10. Lithuania was not an OECD Member at the time of preparation of this publication. Accordingly, Lithuania does not appear in the list of OECD Members and is not included in the zone aggregates.

11. Serbia includes Montenegro until 2004 and Kosovo until 1999.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Azerbaijan	AZERBAIJAN	Data for Azerbaijan are available starting in 1990. Prior to that, they are included in Former Soviet Union.
Bahrain	BAHRAIN	
Bangladesh	BANGLADESH	Data for Bangladesh are reported on a fiscal year basis. Data for 2016 are for 1 July 2016 – 30 June 2017.
Belarus	BELARUS	Data for Belarus are available starting in 1990. Prior to that, they are included in Former Soviet Union.
Belgium	BELGIUM	
Benin	BENIN	
Bolivia	BOLIVIA	
Bosnia and Herzegovina	BOSNIAHERZ	Data for Bosnia and Herzegovina are available starting in 1990. Prior to that, they are included in Former Yugoslavia.
Botswana	BOTSWANA	Data for Botswana are available starting in 1995. Prior to that, they are included in <b>Other Africa</b> .
Brazil	BRAZIL	
Brunei Darussalam	BRUNEI	
Bulgaria	BULGARIA	According to the provisions of Article 4.6 of the Convention and Decisions 9/CP.2 and 11/CP.4, Bulgaria is allowed to use 1988 as the base year.
Cambodia	CAMBODIA	Data for Cambodia are available starting in 1995. Prior to that, they are included in <b>Other non-OECD Asia</b> .
Cameroon	CAMEROON	
Canada	CANADA	
Chile	CHILE	Data start in 1971.
People's Republic of China	CHINA	
Colombia	COLOMBIA	
Congo	CONGO	
Costa Rica	COSTARICA	
Côte d'Ivoire	COTEIVOIRE	
Croatia	CROATIA	Data for Croatia are available starting in 1990. Prior to that, they are included in Former Yugoslavia.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Cuba	CUBA	
Curaçao	CURACAO	The Netherlands Antilles was dissolved on 10 October 2010 resulting in two new "constituent countries" (Curaçao and Sint Maarten) with the other islands joining The Netherlands as 'special municipalities'. However, due to lack of detailed data the IEA secretariat's data and estimates under the "Curaçao" still refer to the whole territory of the Netherlands Antilles as it was known prior to 10 October 2010 up to the end of 2011. Data refer only to the island of Curaçao from 2012. The other islands of the former Netherlands Antilles are added to <b>Other non-OECD Americas</b> from 2012.
Cyprus	CYPRUS	<p><b>Note by Turkey:</b></p> <p>The information in the report with reference to "Cyprus" relates to the southern part of the Island. There is no single authority representing both Turkish and Greek Cypriot people on the Island. Turkey recognises the Turkish Republic of Northern Cyprus (TRNC). Until a lasting and equitable solution is found within the context of the United Nations, Turkey shall preserve its position concerning the "Cyprus" issue.</p> <p><b>Note by all the European Union Member States of the OECD and the European Union:</b></p> <p>The Republic of Cyprus is recognised by all members of the United Nations with the exception of Turkey. The information in this report relates to the area under the effective control of the Government of the Republic of Cyprus.</p> <p>At its seventeenth session, the Conference of the Parties decided to amend Annex I to the Convention to include Cyprus (Decision 10/CP.17). The amendment entered into force on 9 January 2013.</p>
Czech Republic	CZECH	Data start in 1971.
Democratic People's Republic of Korea	KOREADPR	
Democratic Republic of Congo	CONGOREP	

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Denmark	DENMARK	Excludes Greenland and the Danish Faroes, except prior to 1990, where data on oil for Greenland were included with the Danish statistics. The Administration is planning to revise the series back to 1974 to exclude these amounts.
Dominican Republic	DOMINICANR	
Ecuador	ECUADOR	
Egypt	EGYPT	Data for Egypt are reported on a fiscal year basis. Data for 2016 are for 1 July 2016 – 30 June 2017.
El Salvador	ELSALVADOR	
Eritrea	ERITREA	Data for Eritrea are available from 1992. Prior to that, they are included in Ethiopia.
Estonia	ESTONIA	Data start in 1990. Prior to that, they are included within Former Soviet Union. <i>Note: Estonia joined the IEA in May 2014.</i>
Ethiopia	ETHIOPIA	Ethiopia energy data include Eritrea from 1971 to 1991. From 1992 onwards the two countries are reported separately.
Finland	FINLAND	
Former Yugoslav Rep. of Macedonia	FYROM	Data for Former Yugoslav Rep. of Macedonia are available starting in 1990. Prior to that, they are included in Former Yugoslavia.
France	FRANCE	Includes Monaco, and excludes the following overseas departments: Guadeloupe, French Guiana, Martinique, Mayotte, and Réunion, and collectivities: New Caledonia, French Polynesia, Saint Barthélemy, Saint Martin, Saint Pierre and Miquelon, and Wallis and Futuna.
Gabon	GABON	
Georgia	GEORGIA	Data for Georgia are available starting in 1990. Prior to that, they are included in Former Soviet Union.
Germany	GERMANY	Includes the new federal states of Germany from 1970 onwards.
Ghana	GHANA	
Gibraltar	GIBRALTAR	
Greece	GREECE	

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Guatemala	GUATEMALA	
Haiti	HAITI	
Honduras	HONDURAS	
Hong Kong, China	HONGKONG	
Hungary	HUNGARY	Data start in 1965. According to the provisions of Article 4.6 of the Convention and Decisions 9/CP.2 and 11/CP.4, Hungary is allowed to use average 1985-1987 as the base year.
Iceland	ICELAND	
India	INDIA	Data are reported on a fiscal calendar year basis. Data for 2016 are for 1 April 2016 – 31 March 2017.
Indonesia	INDONESIA	
Islamic Republic of Iran	IRAN	Data are reported according to the Iranian calendar year. Data for 2016 correspond to 20 March 2016 – 19 March 2017.
Iraq	IRAQ	
Ireland	IRELAND	
Israel	ISRAEL	Data start in 1971. The statistical data for Israel are supplied by and under the responsibility of the relevant Israeli authorities. The use of such data by the OECD is without prejudice to the status of the Golan Heights, East Jerusalem and Israeli settlements in the West Bank under the terms of international law.
Italy	ITALY	Includes San Marino and the Holy See.
Jamaica	JAMAICA	
Japan	JAPAN	Includes Okinawa.
Jordan	JORDAN	
Kazakhstan	KAZAKHSTAN	Data for Kazakhstan are available starting in 1990. Prior to that they are included in Former Soviet Union.
Kenya	KENYA	
Korea	KOREA	Data start in 1971.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Kosovo	KOSOVO	<p>This designation is without prejudice to positions on status, and is in line with United Nations Security Council Resolution 1244/99 and the Advisory Opinion of the International Court of Justice on Kosovo's declaration of independence.</p> <p>Data for Kosovo are available starting in 2000. From 1990-1999, data for Kosovo are included in Serbia. Prior 1990 that, they are included in Former Yugoslavia.</p> <p>For data in the NONCO2 file, from 2000 onwards, all emissions other than CO<sub>2</sub> from fuel combustion are included in Serbia.</p>
Kuwait	KUWAIT	
Kyrgyzstan	KYRGYZSTAN	Data for Kyrgyzstan are available starting in 1990. Prior to that, they are included in Former Soviet Union.
Latvia	LATVIA	Data for Latvia are available starting in 1990. Prior to that, they are included in Former Soviet Union.
Lebanon	LEBANON	
Libya	LIBYA	
Lithuania	LITHUANIA	<p>Data for Lithuania area available starting in 1990. Prior to that, they are included in Former Soviet Union.</p> <p>Lithuania was not an OECD Member at the time of preparation of this publication. Accordingly, Lithuania does not appear in the list of OECD Members and is not included in the zone aggregates.</p>
Luxembourg	LUXEMBOU	
Malaysia	MALAYSIA	
Malta	MALTA	At its fifteenth session, the Conference of the Parties decided to amend Annex I to the Convention to include Malta (Decision 3/CP.15). The amendment entered into force on 26 October 2010.
Mauritius	MAURITIUS	
Mexico	MEXICO	<p>Mexico became the 30th IEA Member country in February 2018. Accordingly, Mexico now appears in the list of IEA Members and is included in the IEA zone aggregate for the entire time series.</p> <p>Data start in 1971.</p>

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Republic of Moldova	MOLDOVA	Data for the Republic of Moldova are available starting in 1990. Prior to that, they are included in Former Soviet Union.
Mongolia	MONGOLIA	Data for Mongolia are available starting in 1985. Prior to that, they are included in Other Asia.
Montenegro	MONTENEGRO	Data for Montenegro are available starting in 2005. From 1990 to 2004, data for Montenegro are included in Serbia. Prior to 1990, data are included in Former Yugoslavia. For data in the NONCO2 file, from 2005 onwards, all emissions other than CO <sub>2</sub> from fuel combustion are included in Serbia.
Morocco	MOROCCO	
Mozambique	MOZAMBIQUE	
Myanmar	MYANMAR	
Namibia	NAMIBIA	Data for Namibia are available starting in 1991. Prior to that, they are included in <b>Other Africa</b> .
Nepal	NEPAL	Data for Nepal are reported on a fiscal year basis. Data for 2016 are for 16 July 2016 - 15 July 2017.
Netherlands	NETHLAND	Excludes Suriname, Aruba and the other former the Netherlands Antilles (Bonaire, Curaçao, Saba, Saint Eustatius and Sint Maarten).
New Zealand	NZ	
Nicaragua	NICARAGUA	
Niger	NIGER	Data for Niger are available starting in 2000. Prior to that, they are included in <b>Other Africa</b> . For data in the NONCO2 file, for 1990 and 1995, <b>Other Africa</b> includes Niger for all CO <sub>2</sub> emissions from fuel combustion.
Nigeria	NIGERIA	
Norway	NORWAY	Discrepancies between Reference and Sectoral Approach estimates and the difference in the resulting growth rates arise from statistical differences between supply and consumption data for oil and natural gas. For Norway, supply of these fuels is the residual of two very large and opposite terms, production and exports.
Oman	OMAN	

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Pakistan	PAKISTAN	
Panama	PANAMA	
Paraguay	PARAGUAY	
Peru	PERU	
Philippines	PHILIPPINES	
Poland	POLAND	According to the provisions of Article 4.6 of the Convention and Decisions 9/CP.2 and 11/CP.4, Poland is allowed to use 1988 as the base year.
Portugal	PORTUGAL	Includes the Azores and Madeira.
Qatar	QATAR	
Romania	ROMANIA	According to the provisions of Article 4.6 of the Convention and Decisions 9/CP.2 and 11/CP.4, Romania is allowed to use 1989 as the base year.
Russian Federation	RUSSIA	Data for Russian Federation are available starting in 1990. Prior to that, they are included in Former Soviet Union.
Saudi Arabia	SAUDIARABI	
Senegal	SENEGAL	
Serbia	SERBIA	Data for Serbia are available starting in 1990. Prior to that, they are included in Former Yugoslavia. Serbia includes Kosovo from 1990 to 1999 and Montenegro from 1990 to 2004.  For data in the NONCO2 file, Serbia includes Kosovo for all emissions other than CO <sub>2</sub> from fuel combustion from 2000 onwards, and Montenegro for all emissions other than CO <sub>2</sub> from fuel combustion from 2005 onwards.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Singapore	SINGAPORE	<p>Due to Singapore's large trade volume in comparison to its final consumption, a slight misalignment of trade figures can have a significant impact on the Energy balance of Singapore. As a result, large discrepancies between the Reference and Sectoral Approach estimates arise from statistical differences between supply and consumption of oil and oil products.</p> <p>The IEA Secretariat, the Energy Market Authority and the National Climate Change Secretariat (NCCS) are working closely together on improving data quality for Singapore. Efforts are continuing on this project, therefore breaks in time series between 2008 and 2009 and differences in trends when compared to previous publications may occur for some products.</p>
Slovak Republic	SLOVAKIA	
Slovenia	SLOVENIA	<p>Data for Slovenia are available from 1990. Prior to that, they are included in Former Yugoslavia in the full publication.</p> <p>According to the provisions of Article 4.6 of the Convention and Decisions 9/CP.2 and 11/CP.4, Slovenia is allowed to use 1986 as the base year.</p>
South Africa	SOUTHAFRIC	Large differences between the Reference and Sectoral Approach estimates are due to losses associated with coal-to-liquid and to a lesser extent gas-to-liquid transformation.
South Sudan	SSUDAN	<p>South Sudan became an independent country on 9 July 2011. Data for South Sudan are available from 2012. Prior to 2012, they are included in Sudan.</p> <p>For data in the NONCO2 file, data for South Sudan is included in Sudan for all years.</p>
Spain	SPAIN	Includes the Canary Islands.
Sri Lanka	SRILANKA	
Sudan	SUDAN	<p>South Sudan became an independent country on 9 July 2011. Data for South Sudan are available from 2012. Prior to 2012, they are included in Sudan.</p> <p>For data in the NONCO2 file, data for South Sudan is included in Sudan for all years.</p>

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Suriname	SURINAME	Data for Suriname are available from 2000. Prior to 2000, data for Suriname are presented in <b>Other non-OECD Americas</b> . For data in the NONCO2 file, for 1990 and 1995, <b>Other non-OECD Americas</b> includes Suriname for all CO <sub>2</sub> emissions from fuel combustion.
Sweden	SWEDEN	
Switzerland	SWITLAND	Includes Liechtenstein for the oil data. Data for other fuels do not include Liechtenstein.
Chinese Taipei	TAIPEI	
Tajikistan	TAJIKISTAN	Data for Tajikistan are available starting in 1990. Prior to that, they are included in Former Soviet Union.
United Republic of Tanzania	TANZANIA	
Thailand	THAILAND	
Togo	TOGO	
Trinidad and Tobago	TRINIDAD	
Tunisia	TUNISIA	
Turkey	TURKEY	
Turkmenistan	TURKMENIST	Data for Turkmenistan are available starting in 1990. Prior to that, they are included in Former Soviet Union.
Ukraine	UKRAINE	Data for Ukraine are available starting in 1990. Prior to that, they are included in Former Soviet Union.
United Arab Emirates	UAE	
United Kingdom	UK	Shipments of coal and oil to the Channel Islands and the Isle of Man from the United Kingdom are not classed as exports. Supplies of coal and oil to these islands are, therefore, included as part of UK supply. Exports of natural gas to the Isle of Man are included with the exports to Ireland.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
United States	USA	Includes the 50 states and the District of Columbia but generally excludes all territories, and all trade between the US and its territories. Oil statistics include Guam, Puerto Rico <sup>12</sup> and the United States Virgin Islands; trade statistics for coal include international trade to and from Puerto Rico and the United States Virgin Islands.
Uruguay	URUGUAY	
Uzbekistan	UZBEKISTAN	Data for Uzbekistan are available starting in 1990. Prior to that, data are included in Former Soviet Union.
Venezuela	VENEZUELA	
Viet Nam	VIETNAM	
Yemen	YEMEN	
Zambia	ZAMBIA	
Zimbabwe	ZIMBABWE	
Former Soviet Union (if no detail)	FSUND	Before 1990, includes Armenia, Azerbaijan, Belarus, Estonia, Georgia, Kazakhstan, Kyrgyzstan, Latvia, Lithuania, Republic of Moldova, Russian Federation, Tajikistan, Turkmenistan, Ukraine and Uzbekistan.
Former Yugoslavia (if no detail)	YUGOND	Before 1990, includes Bosnia and Herzegovina, Croatia, Former Yugoslav Republic of Macedonia, Kosovo, Montenegro, Slovenia, Serbia.
Other Africa	OTHERAFRIC	Includes Botswana (until 1980); Burkina Faso; Burundi; Cape Verde; Central African Republic; Chad; Comoros; Djibouti; Equatorial Guinea; Gambia; Guinea; Guinea-Bissau; Lesotho; Liberia; Madagascar; Malawi; Mali; Mauritania; Namibia (until 1990); Niger (until 1999) Réunion; Rwanda; Sao Tome and Principe; Seychelles; Sierra Leone; Somalia; Swaziland; and Uganda.  For data in the NONCO2 file, for 1990 and 1995, <b>Other Africa</b> includes Niger for all CO <sub>2</sub> emissions from fuel combustion.

12. Natural gas and electricity data for Puerto Rico are included under **Other Non-OECD Americas**. Oil statistics as well as coal trade statistics for Puerto Rico are included under the United States.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Other non-OECD Americas	OTHERLATIN	Includes Anguilla; Antigua and Barbuda; Aruba; Bahamas; Barbados; Belize; Bermuda; Bonaire (from 2012); British Virgin Islands; Cayman Islands; Dominica; Falkland Islands (Malvinas); French Guiana; Grenada; Guadeloupe; Guyana; Martinique; Montserrat; Puerto Rico (for natural gas and electricity); Saba (from 2012); Saint Eustatius (from 2012); Saint Kitts and Nevis; Saint Lucia; Saint Pierre and Miquelon; Saint Vincent and the Grenadines; Sint Maarten (from 2012); Suriname (until 1999) and the Turks and Caicos Islands.
Other non-OECD Asia	OTHERASIA	Includes Afghanistan; Bhutan; Cambodia (until 1994); Cook Islands; Fiji; French Polynesia; Kiribati; Lao People's Democratic Republic; Macau, China; Maldives; Mongolia (until 1984); New Caledonia; Palau (from 1994); Papua New Guinea; Samoa; Solomon Islands; Timor Leste; Tonga and Vanuatu.
Memo: Greenland	MGREENLAND	Data start in 2004. Prior to 1990, data on oil for Greenland were included with the Danish statistics, within the OECD region. They are not included in any region after 1990.
Memo: Africa (UN)	UNAFRICA	Includes Algeria; Angola; Benin; Botswana; Burkina Faso; Burundi; Cabo Verde; Cameroon; Central African Republic; Chad; Comoros; the Republic of the Congo (Congo); Côte d'Ivoire; the Democratic Republic of the Congo; Djibouti; Egypt; Equatorial Guinea; Eritrea; Ethiopia; Gabon; Gambia; Ghana; Guinea; Guinea-Bissau; Kenya; Lesotho; Liberia; Libya; Madagascar; Malawi; Mali; Mauritania; Mauritius; Morocco; Mozambique; Namibia; Niger; Nigeria; Réunion; Rwanda; Sao Tome and Principe; Senegal; the Seychelles; Sierra Leone; Somalia; South Africa; South Sudan (from 2012), Sudan; Swaziland; the United Republic of Tanzania (Tanzania); Togo; Tunisia; Uganda; Zambia; Zimbabwe. Note that Memo: Africa (UN) is identical to Africa.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Memo: Americas (UN)	UNAMERICAS	Includes Antigua and Barbuda; Argentina; Aruba; the Bahamas; Barbados; Belize; Bermuda; the Plurinational State of Bolivia (Bolivia); Bonaire (from 2012); the British Virgin Islands; Brazil; Canada; the Cayman Islands; Chile; Colombia; Costa Rica; Cuba; Curaçao <small>Error! Bookmark not defined.</small> ; Dominica; the Dominican Republic; Ecuador; El Salvador; the Falkland Islands (Malvinas); Guatemala; French Guiana; Grenada; Guadeloupe; Guyana; Haiti; Honduras; Jamaica; Martinique; Mexico; Montserrat; Nicaragua; Panama; Paraguay; Peru; Puerto Rico (for natural gas and electricity); Saba (from 2012); Saint Kitts and Nevis; Saint Lucia; Saint Pierre and Miquelon; Saint Vincent and the Grenadines; Sint Eustatius (from 2012); Sint Maarten (from 2012); Suriname; Trinidad and Tobago; the Turks and Caicos Islands; the United States; Uruguay; the Bolivarian Republic of Venezuela (Venezuela).
Memo: Asia (UN)	UNASIATOT	Data for Asia (UN) are available from 1990. Includes Afghanistan; Armenia; Azerbaijan; Bahrain; Bangladesh; Bhutan; Brunei Darussalam; Cambodia; the People's Republic of China; Cyprus <sup>13</sup> ; Georgia; Hong Kong, China; India; Indonesia; the Islamic Republic of Iran; Iraq; Israel <sup>14</sup> ; Japan; Jordan; the Democratic People's Republic of Korea; Korea; Kazakhstan; Kuwait; Kyrgyzstan; Lao People's Democratic Republic; Lebanon; Macau, China; Malaysia; the Maldives; Mongolia; Myanmar; Nepal; Oman; Pakistan; the Philippines; Qatar; Saudi Arabia; Singapore; Sri Lanka; the Syrian Arab Republic; Tajikistan; Chinese Taipei; Thailand; Timor-Leste; Turkey; Turkmenistan; the United Arab Emirates; Uzbekistan; Viet Nam; and Yemen.

13. Refer to the country note for Cyprus earlier in this chapter.

14. The statistical data for Israel are supplied by and under the responsibility of the relevant Israeli authorities. The use of such data by the OECD is without prejudice to the status of the Golan Heights, East Jerusalem and Israeli settlements in the West Bank under the terms of international law.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Memo: Europe (UN)	UNEUROPE	Data for Europe (UN) are available from 1990. Includes Albania; Austria; Belarus; Belgium; Bosnia and Herzegovina; Bulgaria; Croatia; the Czech Republic; Denmark; Estonia; Finland; the Former Yugoslav Republic of Macedonia; France; Germany; Gibraltar; Greece; Hungary; Iceland; Ireland; Italy; Kosovo; Latvia; Lithuania; Luxembourg; Malta; the Republic of Moldova (Moldova); Montenegro; the Netherlands; Norway; Poland; Portugal; Romania; the Russian Federation; Serbia; the Slovak Republic; Slovenia; Spain; Sweden; Switzerland; Ukraine; the United Kingdom.
Memo: Oceania (UN)	UNOCEANIA	Includes Australia; New Zealand; Cook Islands; Fiji; French Polynesia; Kiribati; New Caledonia; Palau; Papua New Guinea; Samoa; the Solomon Islands; Tonga; Vanuatu.
Memo: non-OECD total	NOECDTOT	Includes Africa; Non OECD Asia (excluding China); China (P.R. of China and Hong Kong, China); Non-OECD Americas; Middle East and Non-OECD Europe and Eurasia.
Memo: IEA Total	IEATOT	Includes Australia; Austria; Belgium; Canada; the Czech Republic; Denmark; Estonia; Finland; France; Germany; Greece; Hungary; Ireland; Italy; Japan; Korea; Luxembourg; Mexico <sup>15</sup> ; the Netherlands; New Zealand; Norway; Poland; Portugal; the Slovak Republic; Spain; Sweden; Switzerland; Turkey; the United Kingdom and the United States.  Estonia is included starting in 1990. Prior to 1990, data for Estonia are included in Former Soviet Union.

15. Mexico became the 30th IEA Member country in February 2018. Accordingly, starting with the 2018 preliminary edition, Mexico now appears in the list of IEA Members and is included in the IEA zone aggregate for the entire time series.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Memo: IEA and Accession/Association countries	IEAFAMILY	<p>Includes: IEA member countries: Australia, Austria, Belgium, Canada, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Japan, Korea, Luxembourg, Mexico, the Netherlands, New Zealand, Norway, Poland, Portugal, the Slovak Republic, Spain, Sweden, Switzerland, Turkey, the United Kingdom and the United States; Accession countries: Chile and Mexico; Association countries: Brazil, the People's Republic of China; India; Indonesia; Morocco; Singapore; Thailand.</p> <p>Mexico became the International Energy Agency's 30th member country on 17 February 2018. Accordingly, starting with the 2018 edition, Mexico appears in the list of IEA Members and is included in the IEA zone aggregates for data starting in 1971 and for the entire time series. Brazil joined the IEA as an Association country in October 2017. Accordingly, Brazil is now included in the IEA and Accession/Association countries regional aggregate for data starting in 1971 and for the entire time series.</p>
Memo: European Union – 28	EU28	<p>Includes Austria, Belgium, Bulgaria, Croatia, Cyprus<sup>16</sup>, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Poland, Portugal, Romania, the Slovak Republic, Slovenia, Spain, Sweden and the United Kingdom.</p> <p>Please note that in the interest of having comparable data, all of these countries are included since 1990 despite different entry dates into the European Union.</p>
Memo: Former Yugoslavia	MYUGO	Includes Former Yugoslavia (if no detail); Bosnia and Herzegovina; Croatia; the Former Yugoslav Republic of Macedonia; Kosovo; Montenegro; Slovenia and Serbia.
Memo: Former Soviet Union	MFSU15	Includes the Former Soviet Union with all 15 countries for all years.

16. Refer to the country note for Cyprus earlier in this chapter.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Memo: OPEC	OPEC	The Organisation of Petroleum Exporting Countries includes Algeria; Angola; Ecuador; Gabon; Islamic Republic of Iran; Iraq; Kuwait; Libya; Nigeria; Qatar; Saudi Arabia; the United Arab Emirates and Bolivarian Republic of Venezuela (Venezuela). <sup>17</sup>
Memo: G7	MG7	Includes Canada, France, Germany, Italy, Japan, the United Kingdom and the United States.
Memo: G8	MG8	Includes Canada, France, Germany, Italy, Japan, Russian Federation, the United Kingdom and the United States.
Memo: G20	MG20	Includes Argentina, Australia, Brazil, Canada, China (including Hong Kong, China), India, Indonesia, Japan, Korea, Mexico, Russian Federation, Saudi Arabia, South Africa, Turkey, the United States and the European Union – 28.
Memo: Annex I Parties	ANNEX1	<p>Includes Australia, Austria, Belarus, Belgium, Bulgaria, Canada, Croatia, Cyprus<sup>18</sup>, the Czech Republic<sup>19,20</sup>, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Japan, Latvia, Liechtenstein (not available in this publication)<sup>21</sup>, Lithuania, Luxembourg, Malta, Monaco (included with France), the Netherlands, New Zealand, Norway, Poland, Portugal, Romania, the Russian Federation, the Slovak Republic<sup>22</sup>, Slovenia, Spain, Sweden, Switzerland, Turkey, Ukraine, the United Kingdom and the United States.<sup>23</sup></p> <p><i>The countries that are listed above are included in Annex I of the United Nations Framework Convention on Climate Change as amended on 11 December 1997 by the 12<sup>th</sup> Plenary meeting of the Third Conference of the Parties in Decision 4/CP.3. This includes the countries that were members of the OECD at the time of the signing of the Convention, the EEC, and fourteen countries in Central and Eastern Europe and the Former Soviet Union that were undergoing the process of transition to market economies. During subsequent sessions, the Conference of the Parties agreed to amend Annex I to the Convention to include Malta (Decision 3/CP.15, effective from 26 October 2010) and Cyprus (Decision 10/CP.17, effective from 9 January 2013).</i></p>

17. Data for Equatorial Guinea, that joined OPEC in May 2017, and for Congo, that joined OPEC in June 2018, are not included in the OPEC aggregate in this edition.

18. Refer to the country note for Cyprus earlier in this chapter.

19. Czechia in official UN documents.

20. Czechoslovakia was in the original list of Annex I countries.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Memo: Annex II Parties	ANNEX2	Includes Australia, Austria, Belgium, Canada, Denmark, Finland, France <sup>24</sup> , Germany, Greece, Iceland, Ireland, Italy, Japan, Luxembourg, the Netherlands, New Zealand, Norway, Portugal, Spain, Sweden, Switzerland <sup>25</sup> , the United Kingdom and the United States.  <i>According to Decision 26/CP.7 in document FCCC/CP/2001/13/ Add.4, Turkey has been deleted from the list of Annex II countries to the Convention. This amendment entered into force on 28 June 2002.</i>
Memo: Annex II North America	ANNEX2NA	Includes Canada and the United States.
Memo: Annex II Europe	ANNEX2EU	Includes Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.
Memo: Annex II Asia Oceania	ANNEX2AO	Includes Australia, Japan and New Zealand.
Memo: Annex I Economies in Transition	ANNEX1EIT	Annex I: Economies in Transition (EITs) are those countries in Annex I that are undergoing the process of transition to a market economy. This includes Belarus, Bulgaria, Croatia, the Czech Republic, Estonia, Hungary, Latvia, Lithuania, Poland, Romania, Russian Federation, the Slovak Republic, Slovenia and Ukraine.
Memo: Non-Annex I Parties	NONANNEX1	

21. Oil data for Liechtenstein are included under Switzerland.

22. Slovakia in official UN documents.

23. The European Union is also an Annex I Party in its own right. The EU was assigned an overall reduction target under the Kyoto Protocol, which by agreement, was used to determine the individual targets of the fifteen states that were EU members in 1997 when the Kyoto Protocol was adopted.

24. In IEA data, France also includes Monaco, which is not in the list of Annex II Parties.

25. In IEA data, Switzerland includes Oil data for Liechtenstein, which is not in the list of Annex II Parties.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area. In this publication, 'country' refers to country or territory, as case may be. Data start in 1960 for OECD countries and regions, and in 1971 for non-OECD countries and regions, unless otherwise specified.

Country/Region	Short name	Definition
Memo: Annex B Kyoto Parties	ANNEXB	<p>Includes Australia, Austria, Belgium, Belarus, Bulgaria, Croatia, Cyprus<sup>26</sup>, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Kazakhstan, Latvia<sup>Error! Bookmark not defined.</sup>, Liechtenstein (not available in this publication), Lithuania, Luxembourg, Malta, Monaco (included with France), the Netherlands, Norway, Poland, Portugal, Romania, the Slovak Republic, Slovenia, Spain, Sweden, Switzerland, Ukraine and the United Kingdom.<sup>27</sup></p> <p><i>Refers to countries with emission targets under the second commitment period (CP) of the Kyoto Protocol (2013-2020) as per the Doha Amendment. This differs from the list of countries with targets under the first CP (2008-2012). Please note that the Doha Amendment has not yet entered into force. Membership of Annex B in the second CP of the Kyoto Protocol differs from that in Annex I. In particular, Annex B excludes, or does not contain targets for Canada, Japan, New Zealand, the Russian Federation, Turkey and the United States (all Annex I member states), but includes Kazakhstan (a non-Annex I Party under the Convention, but an Annex I Party under the Kyoto Protocol (as per decision 9/CMP.8).</i></p>

Please note that the following countries have not been considered:

- **Non-OECD Europe and Eurasia:** Andorra; Faroe Islands (after 1990); Liechtenstein (except for oil data); the Palestinian Authority; Svalbard; Jan Mayen Islands;
- **Africa:** British Indian Ocean Territory; French Southern and Antarctic Lands; Mayotte; Saint Helena; Western Sahara;
- **Non-OECD Americas:** Bouvet Island; Saint Barthélemy; Greenland (after 1990); Saint Martin (French Part); South Georgia and the South Sandwich Islands;
- Antarctica;
- **Non-OECD Asia (excluding China):** American Samoa; Cocos (Keeling) Islands; Christmas Island; Heard Island and McDonald Islands; Marshall Islands; Micronesia (Federated States of); Nauru; Niue; Norfolk Island; Northern Mariana Islands; Pitcairn; Tokelau; Tuvalu; United States Minor Outlying Islands; Wallis and Futuna Islands.

26. Refer to the country note for Cyprus earlier in this chapter.

27. The European Union is also an Annex I Party in its own right. The EU was assigned an overall reduction target under the Kyoto Protocol, which by agreement, was used to determine the individual targets of the fifteen states that were EU members in 1997 when the Kyoto Protocol was adopted.

## 5. UNDERSTANDING THE IEA CO<sub>2</sub> EMISSIONS ESTIMATES

### The importance of estimating emissions

The ultimate objective of the UNFCCC (the Convention) is the stabilisation of GHG concentrations in the atmosphere at a level that would prevent dangerous anthropogenic interference with the climate system. The Convention also calls for all Parties to commit themselves to the following objectives:

- to develop, update periodically, publish and make available to the Conference of the Parties (COP) their national inventories of anthropogenic emissions by sources and removals by sinks, of all greenhouse gases not controlled by the Montreal Protocol.
- to use comparable methodologies for inventories of GHG emissions and removals, to be agreed upon by the COP.

As a response to the objectives of the UNFCCC, the IEA Secretariat, together with the IPCC, the OECD and numerous international experts, has helped to develop and refine an internationally-agreed methodology for the calculation and reporting of national GHG emissions from fuel combustion. This methodology was published in 1995 in the *IPCC Guidelines for National Greenhouse Gas Inventories*. After the initial dissemination of the methodology, revisions were added to several chapters, and published as the *Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories (1996 GLs)*. In April 2006, the IPCC approved the *2006 Guidelines* at the 25<sup>th</sup> session of the IPCC in Mauritius. Until 2015, most Parties, as well as the IEA, still calculated their inventories using the *1996 GLs*. In December 2011 in Durban, Parties adopted

Decision 15/CP.17 to update their reporting tables so as to implement the *2006 GLs*. The new reporting tables have been mandatory since 15 April 2015.

### The IEA estimates of CO<sub>2</sub> emissions from fuel combustion

Energy is at the core of the greenhouse gas estimation. It is estimated that for Annex I Parties energy accounts for 82%<sup>28</sup> of total GHG emissions, while for the world the share is over two thirds, although shares vary greatly by country. Within energy, CO<sub>2</sub> from fuel combustion accounts for the largest fraction, 92% for Annex I countries, once again varying depending on the economic structure of the country.

Given its extensive work in global energy data collection and compilation, the IEA is able to produce comparable estimates of CO<sub>2</sub> emissions from fuel combustion across countries and region, providing a reference database for countries with more and less advanced national systems.

The estimates of CO<sub>2</sub> emissions from fuel combustion presented in this publication are calculated using the IEA energy data<sup>29</sup> and the default methods and emission factors from the *2006 IPCC Guidelines for National Greenhouse Gas Inventories (2006 GLs)*<sup>30</sup>.

28. Based on data reported to the UNFCCC for 2012, excluding land-use, land-use change and forestry (LULUCF).

29. Published in *World Energy Statistics* and *World Energy Balances*, OECD/IEA, Paris, 2018.

30. See: <http://www.ipcc-nggip.iges.or.jp/public/2006gl/vol2.html>.

Prior to the 2015 edition of this publication, the IEA used methods and emission factors of the *Revised 1996 IPCC Guidelines*, in line with UNFCCC recommendations for the reporting under the Kyoto Protocol. The IEA implementation of the *2006 GLs* in this edition follows the decision of UNFCCC Parties to update their reporting tables and to implement the *2006 GLs* starting on 15 April 2015.

The implications of changes in methods and emissions factors on the IEA emissions estimates for this edition are discussed in the chapter *IEA estimates: Changes under the 2006 IPCC Guidelines*.

Data in this publication and its corresponding database may have been revised with respect to previous editions also because the IEA reviews its energy databases each year. In the light of new assessments, revisions may be made to the energy data time series for any individual country.

## CO<sub>2</sub> emissions from fuel combustion: key concepts

The IEA uses the simplest (Tier 1) methodology to estimate CO<sub>2</sub> emissions from fuel combustion based on the *2006 GLs*. The computation follows the concept of conservation of carbon, from the fuel combusted into CO<sub>2</sub>. While for the complete methodology the reader should refer to the full IPCC documents, a basic description follows.

Generally, the Tier 1 estimation of CO<sub>2</sub> emissions from fuel combustion for a given fuel can be summarised as follows:

$$\text{CO}_2 \text{ emissions from fuel combustion} \\ \text{CO}_2 = \text{Fuel consumption} * \text{Emission factor}$$

where:

**Fuel consumption** = amount of fuel combusted;  
**Emission factor** = default emission factor

Emissions are then summed across all fuels and all sectors of consumption to obtain national totals. A more detailed explanation of the step by step calculation is presented in the chapter *IEA estimates: Changes under the 2006 IPCC Guidelines*.

## IEA estimates vs. UNFCCC submissions

Based on the IEA globally collected energy data, the IEA estimates of CO<sub>2</sub> emissions from fuel combustion are a global database obtained following harmonised definitions and comparable methodologies across countries. They do not represent an official source for national submissions, as national administrations should use the best available country-specific information to complete their emissions reporting.

The IEA CO<sub>2</sub> estimates can be compared with those reported by countries to the UNFCCC Secretariat to highlight possible problems in methods, input data or emission factors. Still, care should be used in interpreting the results of any comparison since the IEA estimates may differ from a country's official submission for many reasons.

For most Annex II countries, the two calculations are expected to be within 5-10%, depending on the coverage of the fuel combustion sector in the national inventory. For some EIT and non-Annex I countries, differences may be larger. If the underlying energy data are different, more work is needed on the collecting and reporting of energy statistics.

In case of systematic biases in the energy data or emission factors, emission trends will usually be more reliable than the absolute emission levels. By comparing trends in the IEA estimates with trends in emissions as reported to the UNFCCC, it should be possible to identify definition problems or methodological differences.

Some of the reasons for these differences are:

- **The IEA uses a Tier 1 method to compute emissions estimates.**

For the calculation of CO<sub>2</sub> emissions from fuel combustion, the IEA uses a Tier 1 method. Countries may be using a more sophisticated Tier 2 or Tier 3 method that takes into account more detailed country-specific information available (*e.g.* on different technologies or processes).

- **Energy activity data based on IEA energy balances may differ from those used for the UNFCCC calculations.**

Countries often have several "official" data sources such as a Ministry, a Central Bureau of Statistics, a nationalised electricity company, etc. Data can also be

collected from the energy suppliers, the energy consumers or customs statistics. The IEA Secretariat tries to collect the most accurate data, but does not necessarily have access to the complete data set that may be available to national experts calculating emission inventories for the UNFCCC. In addition to different sources, the methodology used by the national bodies providing the data to the IEA and to the UNFCCC may differ. For example, general surveys, specific surveys, questionnaires, estimations, combined methods and classifications of data used in national statistics and in their subsequent reclassification according to international standards may result in different series.

- **The IEA uses average net calorific values for oil products.**

To transform fuel consumption data from physical units to energy units, the IEA uses an average net calorific value (NCV) for each secondary oil product. These NCVs are region-specific and constant over time. Country-specific NCVs that can vary over time are used for NGL, refinery feedstocks and additives. Crude oil NCVs are further split into production, imports, exports and average. Different coal types have specific NCVs for production, imports, exports, inputs to main activity power plants and coal used in coke ovens, blast furnaces and industry, and can vary over time for each country.

Country experts may have more detailed data on calorific values available when calculating the energy content of the fuels. This in turn could produce different values than those of the IEA.

- **The IEA uses average carbon content values.**

The IEA uses the default carbon content values given in the *2006 GLs*. Country experts may have better information available, allowing them to use country-specific values.

- **The IEA cannot allocate emissions from auto-producers into the end-use sectors.**

The *2006 GLs* recommend that emissions from auto-production should be included with emissions from other fuel use by end-consumers. At the same time, the emissions from the autoproduction of electricity and heat should be excluded from the energy transformation source category to avoid double counting. The IEA is not able to allocate the fuel use from auto-producers between industry and *other*. Therefore, this publication shows a category called “Unallocated auto-producers”. However, this should not affect the total emissions for a country.

- **Military emissions may be treated differently.**

According to the *2006 GLs*, military emissions should be reported in Source/Sink Category 1 A 5, *Non-Specified*. Previously, the IEA questionnaires requested that warships be included in international marine bunkers and that the military use of aviation fuels be included in domestic air. All other military use should have been reported in *non-specified other*.

At the IEA/Eurostat/UNECE Energy Statistics Working Group meeting (Paris, November 2004), participants decided to harmonise the definitions used to collect energy data on the joint IEA/Eurostat/UNECE questionnaires with those used by the IPCC to report GHG inventories. As a result, starting in the 2006 edition of this publication, all military consumption should be reported in *non-specified other*. Sea-going versus coastal is no longer a criterion for splitting international and domestic navigation.

However, it is not clear whether countries are reporting on the new basis, and if they are, whether they will be able to revise their historical data. The IEA has found that in practice most countries consider information on military consumption as confidential and therefore either combine it with other information or do not include it at all.

- **The IEA estimates include all CO<sub>2</sub> emissions from fuel combustion. Countries may have included parts of these emissions in the IPCC category industrial processes and product use.**

Although emissions totals would not differ, the allocation to the various sub-totals of a national inventory could. National GHG inventories submitted to the UNFCCC divide emissions according to source categories. Two of these IPCC Source/Sink Categories are energy, and industrial processes and product use. Care must be taken not to double count emissions from fuel combustion that occur within certain industrial processes (*e.g.* iron and steel). The IEA estimates in this publication include all the CO<sub>2</sub> emissions from fuel combustion, while countries are asked to report some of them within the industrial processes and product use category under the *2006 GLs*. See a more detailed discussion in the chapter *IEA Estimates: Changes under the 2006 IPCC Guidelines*.

- **The units may be different.**

The *2006 GLs* ask that CO<sub>2</sub> emissions be reported in Gg of CO<sub>2</sub> (1 Gg = 1 kilotonne). A million tonnes of CO<sub>2</sub> is equal to 1 000 Gg of CO<sub>2</sub>, so to compare the numbers in this publication with national inventories expressed in Gg, the IEA emissions must be multiplied by 1 000.

## Macroeconomic drivers of CO<sub>2</sub> emissions trends

Tables and graphs for drivers refer to the decomposition of CO<sub>2</sub> emissions into four driving factors (Kaya identity)<sup>31</sup>, which is generally presented in the form:

$$\text{Kaya identity} \\ C = P (G/P) (E/G) (C/E)$$

where:

**C** = CO<sub>2</sub> emissions;

**P** = population;

**G** = GDP;

**E** = primary energy consumption.

The identity expresses, for a given time, CO<sub>2</sub> emissions as the product of population, per capita economic output (G/P), energy intensity of the economy (E/G) and carbon intensity of the energy mix (C/E). Because of possible non-linear interactions between terms, the sum of the percentage changes of the four factors, e.g.  $(P_y - P_x)/P_x$ , will not generally add up to the percentage change of CO<sub>2</sub> emissions  $(C_y - C_x)/C_x$ . However, relative changes of CO<sub>2</sub> emissions in time can be obtained from relative changes of the four factors as follows:

$$\text{Kaya identity: relative changes in time} \\ C_y/C_x = P_y/P_x (G/P)_y/(G/P)_x (C/E)_y/(C/E)_x$$

where x and y represent for example two different years.

In this publication, the Kaya decomposition is presented as:

$$\text{CO}_2 \text{ emissions and drivers} \\ \text{CO}_2 = P (GDP/P) (TPES/GDP) (CO_2/TPES)$$

where:

**CO<sub>2</sub>** = CO<sub>2</sub> emissions;

**P** = population;

**GDP<sup>32</sup>/P** = GDP/population;

**TPES/GDP<sup>32</sup>** = Total Primary Energy Supply per GDP;

**CO<sub>2</sub>/TPES** = CO<sub>2</sub> emissions per unit TPES.

Indices of all terms (1990 = 100 unless otherwise specified) are shown for each country and regional aggregate in Part II of the full publication, both in the Summary tables and in the individual country/region pages (Table 1, Key indicators, and Figure 6, CO<sub>2</sub> emissions and drivers). Note that in its index form, CO<sub>2</sub>/TPES corresponds to the Energy Sector Carbon Intensity Index (ESCII)<sup>33</sup>.

The Kaya identity can be used to discuss the primary driving forces of CO<sub>2</sub> emissions. For example, it shows that, globally, increases in population and GDP per capita have been driving upwards trends in CO<sub>2</sub> emissions, more than offsetting the reduction in energy intensity. In fact, the carbon intensity of the energy mix is almost unchanged, due to the continued dominance of fossil fuels - particularly coal - in the energy mix, and to the slow uptake of low-carbon technologies.

However, it should be noted that there are important caveats in the use of the Kaya identity. Most important, the four terms on the right-hand side of equation should be considered neither as fundamental driving forces in themselves, nor as generally independent from each other.

31. Yamaji, K., Matsuhashi, R., Nagata, Y. Kaya, Y., *An integrated system for CO<sub>2</sub>/Energy/GNP analysis: case studies on economic measures for CO<sub>2</sub> reduction in Japan*. Workshop on CO<sub>2</sub> reduction and removal: measures for the next century, March 19, 1991, International Institute for Applied Systems Analysis, Laxenburg, Austria.

32. GDP based on purchasing power parities (PPP).

33. See the IEA publication *Tracking Clean Energy Progress 2015*.

## Drivers of electricity generation emissions trends

In this edition, new graphs present the change in CO<sub>2</sub> emissions from electricity generation over time decomposed into the respective changes of four driving factors<sup>34</sup>:

$$\text{CO}_2 \text{ emissions from electricity generation} \\ C = (C/E) (E/ELF) (ELF/EL) (EL)$$

where:

- C** = CO<sub>2</sub> emissions;
- E** = fossil fuel inputs to thermal generation;
- ELF** = electricity output from fossil fuels;
- EL** = total electricity output;

This can be rewritten as:

$$\text{CO}_2 \text{ emissions from electricity generation} \\ C = (CF) (EI) (EFS) (EL)$$

where:

- C** = CO<sub>2</sub> emissions;
- CF** = carbon intensity of the fossil fuel mix;
- EI** = the reciprocal of fossil fuel based electricity generation efficiency;
- EFS** = share of electricity from fossil fuels;
- EL** = total electricity output.

This decomposition expresses, for a given time, CO<sub>2</sub> emissions from electricity generation as the product of the carbon intensity of the fossil fuel mix (CF), the reciprocal of fossil fuel based thermal electricity generation efficiency (1/EF), the share of electricity from fossil fuels (EFS) and total electricity output (EL).

However, due to non-linear interactions between terms, if a simple decomposition is used, the sum of the percentage changes of the four factors, e.g.  $(CF_y - CF_x)/CF_x$  may not perfectly match the

percentage change of total CO<sub>2</sub> emissions  $(C_y - C_x)/C_x$ . To avoid this, a more complex decomposition method is required. In this case, the logarithmic mean divisia (LMDI) method proposed by Ang (2004)<sup>35</sup> has been used.

Using this method, the change in total CO<sub>2</sub> emissions from electricity generation ( $C_{TOT}$ ) between year  $t$  and a base year  $0$ , can be computed as the sum of the changes in each of the individual factors as follows:

$$C_{TOT} = C_{CF} + C_{EI} + C_{EFS} + C_{EL}$$

where:

$$\begin{aligned} C_{CF} &= L(CF^t, CF^0) \ln \left( \frac{CF^t}{CF^0} \right) \\ C_{EI} &= L(EI^t, EI^0) \ln \left( \frac{EI^t}{EI^0} \right) \\ C_{EFS} &= L(EFS^t, EFS^0) \ln \left( \frac{EFS^t}{EFS^0} \right) \\ C_{EL} &= L(EL^t, EL^0) \ln \left( \frac{EL^t}{EL^0} \right) \end{aligned}$$

and:

$$L(x, y) = (y - x) / (\ln y - \ln x)$$

This decomposition can be useful when analysing the trends in CO<sub>2</sub> emissions from electricity generation. For instance, it shows that globally, since 1990, the main driver of increased CO<sub>2</sub> emissions from electricity generation has been increased electricity output, with improvements in the overall thermal efficiency, and the CO<sub>2</sub> intensity of the electricity generation mix being offset by an increase in the share of electricity derived from fossil fuel sources.

However, as is the case with the Kaya decomposition, it should be noted that the four terms on the right-hand side of equation should be considered neither as fundamental driving forces in themselves, nor as generally independent from each other. For instance, substituting coal with gas as a source of electricity generation would affect both the CO<sub>2</sub> intensity of the electricity generation mix and the thermal efficiency of generation.

34. M. Zhang, X. Liu, W. Wang, M. Zhou. *Decomposition analysis of CO<sub>2</sub> emissions from electricity generation in China*. Energy Policy, 52 (2013), pp. 159–165.

35. B. W. Ang, *Decomposition analysis for policymaking in energy: which is the preferred method?*, Energy Policy, 32 (9) (2004), pp. 1131–1139.

## 6. IEA ESTIMATES: CHANGES UNDER THE 2006 IPCC GUIDELINES

### The 2006 IPCC Guidelines methodology: key concepts

This section briefly presents the Tier 1 methodology to estimate CO<sub>2</sub> emissions from fuel combustion based on the *2006 GLs*, outlining the main differences with the *1996 GLs* - used for previous editions of this publication. The focus is on the key points relevant to the IEA estimation. For the complete methodology, the reader should refer to the full IPCC documents.<sup>36</sup>

Generally, the Tier 1 estimation of CO<sub>2</sub> emissions from fuel combustion for a given fuel can be summarised as follows:

$$\text{CO}_2 \text{ emissions from fuel combustion} \\ \text{CO}_2 = \text{AD} * \text{NCV} * \text{CC} * \text{COF}$$

where:

- CO<sub>2</sub>** = CO<sub>2</sub> emissions from fuel combustion;
- AD** = Activity data;
- NCV** = Net calorific value;
- CC** = Carbon content;
- COF** = Carbon oxidation factor.

Emissions are then summed over all fuels.

While the basic concept of the calculation - the conservation of carbon - is unchanged, the *2006 GLs* differ from the *1996 GLs* in the:

- default **net calorific values** by product;
- default **carbon content** by product;

- default carbon oxidation factors;
- treatment of fuels used for **non-energy** purposes;
- **allocation** of fuel combustion emissions across the Energy and IPPU categories.

### 2006 Guidelines: overview of changes

This section describes the key methodological changes *2006 GLs* for a Tier 1 estimation of CO<sub>2</sub> emissions from fuel combustion, with a short assessment of their impact on results.

#### Net calorific values

Net calorific values (NCVs) are used to convert the activity data for all the different fuels from "physical" units (e.g. tonnes) to "energy" units (e.g. Joules).

In the *1996 GLs*, country-specific net calorific values were given for primary oil (crude oil and NGL), for primary coal and for a few secondary coal products. These NCVs were based on the average 1990 values of the 1993 edition of the *IEA Energy Balances*.

In the *2006 GLs*, those country-specific NCVs were removed, and one default is provided for each fuel (with upper and lower limits, as done for the carbon content). Large differences were therefore observed for products whose quality varies a lot from country to country, such as primary oil and coal products. Replacing country-specific values with one default value would significantly affect emissions calculations if the default values were used.

36. Both the *1996 GLs* and the *2006 GLs* are available from the IPCC Greenhouse Gas Inventories Programme ([www.ipcc-nggip.iges.or.jp](http://www.ipcc-nggip.iges.or.jp)).

The IEA CO<sub>2</sub> emissions from fuel combustion estimates are based on the IEA energy balances, computed using time-varying country-specific NCVs. Therefore, they are not affected by changes to the default net calorific values of the 2006 GLs.

## Carbon content

Carbon content is the quantity of carbon per unit of energy of a given fuel. Some of the fuel-specific default values for carbon content, called “carbon emission factors” in the 1996 GLs, were revised in the 2006 GLs. In addition, values were added for some fuels not directly mentioned in the 1996 GLs.

As the carbon content may vary considerably for some fuels, the 2006 GLs introduced ranges of values, *i.e.* providing for each fuel a default value with lower and upper limits. The IEA CO<sub>2</sub> emissions are calculated using the IPCC default values.

A summary of the default carbon content values in the two set of guidelines is shown in Table 1. Relative changes between the 2006 GLs and the 1996 GLs range between -13.7% (refinery gas) and + 7.3% (blast furnace gas), although for many fuels the variation is minimal, or zero. Such systematic changes are reflected in Tier 1 CO<sub>2</sub> emissions estimates.

## Carbon oxidation factors

A small fraction of the carbon contained in fuels entering the combustion process (typically less than 1-2%) is not oxidised. Under the 1996 GLs, this amount was subtracted from emissions in the calculations by multiplying the calculated carbon content of a fuel by a “fraction of carbon oxidised”. The fraction of carbon oxidised had a value of less than 1.0, which had the effect of reducing the emissions estimate. However, in most instances, emissions inventory compilers had no “real” information as to whether this correction was actually applicable.

Therefore, in the 2006 GLs, it was decided that all carbon is assumed to be emitted by default, unless more specific information is available. Therefore, under the 2006 GLs, the default carbon oxidation factor is equal to 1 for all fuels.

A summary of the default carbon oxidation factors in the two set of guidelines is shown in Table 2. Relative changes from the 1996 GLs and the 2006 GLs are +0.5% for natural gas; +1% for oil, oil products and peat; and +2% for coal. Such changes are reflected in systematic increases in Tier 1 CO<sub>2</sub> emissions estimates.

**Table 1. Comparison of default carbon content values\***

Kilogrammes / gigajoule

Fuel Type	1996 Guidelines	2006 Guidelines**	Percent Change
Anthracite	26.8	26.8	0.0%
Coking Coal	25.8	25.8	0.0%
Other Bituminous Coal	25.8	25.8	0.0%
Sub-Bituminous Coal	26.2	26.2	0.0%
Lignite	27.6	27.6	0.0%
Patent Fuel	25.8	26.6	+3.1%
Coke oven coke	29.5	29.2	-1.0%
Gas Coke	29.5	29.2	-1.0%
Coal Tar	..	22.0	x
BKB	25.8	26.6	+3.1%
Gas Works Gas	..	12.1	x
Coke Oven Gas	13.0	12.1	-6.9%
Blast Furnace Gas	66.0	70.8	+7.3%
Other recovered gases	..	49.6	x
Peat	28.9	28.9	0.0%
Oil shale	29.1	29.1	0.0%
Natural Gas	15.3	15.3	0.0%
Crude Oil	20.0	20.0	0.0%
Natural Gas Liquids	17.2	17.5	+1.7%
Refinery Feedstocks	20.0	20.0	0.0%
Orimulsion	22.0	21.0	-4.5%
Refinery Gas	18.2	15.7	-13.7%
Ethane	16.8	16.8	0.0%
Liquefied petroleum gases (LPG)	17.2	17.2	0.0%
Motor Gasoline excl. biofuels	18.9	18.9	0.0%
Aviation Gasoline		19.1	+1.1%
Gasoline type jet fuel		19.1	+1.1%
Kerosene type jet fuel excl. bio	19.5	19.5	0.0%
Other Kerosene	19.6	19.6	0.0%
Gas/Diesel Oil excl. biofuels	20.2	20.2	0.0%
Fuel Oil	21.1	21.1	0.0%
Naphtha	20.0	20.0	0.0%
Lubricants	20.0	20.0	0.0%
Bitumen	22.0	22.0	0.0%
Petroleum Coke	27.5	26.6	-3.3%
Non-specified oil products	20.0	20.0	0.0%
Other hydrocarbons		20.0	0.0%
White Spirit & SBP		20.0	0.0%
Paraffin Waxes		20.0	0.0%
Industrial Waste	..	39.0	x
Municipal Waste (non-renewable)	..	25.0	x

\* “Carbon content” was referred to as the “carbon emission factor” in the 1996 GLs.

\*\* The 2006 GLs also give the lower and upper limits of the 95 percent confidence intervals, assuming lognormal distributions.

**Table 2. Comparison of default carbon oxidation factors\***

Fuel Type	1996 Guidelines	2006 Guidelines**	Percent Change
Coal	0.980	1.00	+2.0%
Oil and oil products	0.990	1.00	+1.0%
Natural gas	0.995	1.00	+0.5%
Peat **	0.990	1.00	+1.0%

\* “Carbon oxidation factor” was referred to as “fraction of carbon oxidised” in the 1996 GLs.

\*\* The 1996 GLs specified a carbon oxidation factor for peat used for electricity generation only.

## Treatment of fuels used for non-energy purposes

Many hydrocarbons are used for non-energy purposes *e.g.* petrochemical feedstocks, lubricants, solvents, and bitumen. In some of these cases, the carbon in the fuel is quickly oxidised to CO<sub>2</sub>, in other cases, it is stored (or sequestered) in the product, sometimes for as long as centuries.

In the *1996 IPCC GLs*, Tier 1 Sectoral Approach emissions included emissions from fuels used for non-energy purposes. The share of carbon assumed to be stored (not emitted) was estimated based on default “fractions of carbon stored” (shown for reference in Table 3).

**Table 3. Fraction of Carbon Stored in the 1996 GLs**

Fuel Type	1996 Guidelines
Naphtha*	0.8
Lubricants	0.5
Bitumen	1.0
Coal Oils and Tars (from coking coal)	0.75
Natural Gas*	0.33
Gas/Diesel Oil*	0.5
LPG*	0.8
Ethane*	0.8
Other fuels for non-energy use	To be specified

\* When used as feedstocks.

Note: this table is included only for reference. CO<sub>2</sub> emissions from fuel combustion in this publication do not include emissions from non-energy use of fuels.

In the *2006 GLs*, all deliveries for non-energy purposes are excluded. Numerically, excluding all non-energy use of fuel from energy sector emissions calculations is equivalent to applying a fraction of carbon stored equal to 1 to all quantities delivered for non-energy purposes.

In the case of a complete greenhouse gas inventory covering all IPCC Source/Sink categories, any emissions associated with non-energy use of fuels would be accounted in another Source/Sink category. However, as this publication only deals with CO<sub>2</sub> emissions from fuel combustion, emissions associated with non-energy use of fuels are no longer included in the IEA CO<sub>2</sub> emissions estimates.

Within the IEA estimates, the effect of this change is mainly noticeable for countries whose petrochemical sectors are large in comparison to the size of their economies, *e.g.* the Netherlands.

## Allocation of fuel combustion emissions across the Energy and the IPPU sectors

To avoid possible double counting, the *2006 GLs* state that combustion emissions from fuels obtained directly or indirectly from the feedstock for an Industrial Processes and Product Use (IPPU) process will be allocated to the source category in which the process occurs, unless the derived fuels are transferred for combustion in another source category.

In the case of a complete inventory, this reallocation would not affect total emissions. Still, the effect on individual source categories could be quite significant, especially in countries with large IPPU sectors (*e.g.* the iron and steel, and non-ferrous metals industries).

To provide continuity with previous editions of this publication and to fully account for fuel combustion emissions, the IEA CO<sub>2</sub> emissions from fuel combustion include all emissions from fuel combustion, irrespective of the category of reporting (Energy or IPPU) under the *2006 GLs*.

To ensure comparability with submissions from Parties, an additional online database provides a summary of CO<sub>2</sub> emissions calculated according to the IPCC Reference and Sectoral Approaches, and a breakdown of the fuel combustion emissions which would be reallocated to IPPU under the *2006 GLs*.<sup>37</sup>

## Assessing the overall impact of methodological changes on IEA estimates

Table 4 shows a comparison of IEA estimates of total CO<sub>2</sub> emissions from fuel combustion for the 2014 data (from the 2016 edition). Emissions are calculated using: i) the *1996 GLs* Sectoral Approach, methodology as in previous publications, and ii) the *2006 GLs*<sup>38</sup> - which correspond to the data published in this edition.

37. Note that the data available to the IEA do not allow assessing whether fuels derived from IPPU processes are transferred for combustion in another source category.

38. Including the emissions which may be reallocated from Energy to IPPU under the *2006 GLs*.

The overall impact of the change in methodology on the IEA estimates of CO<sub>2</sub> emissions from fuel combustion varies from country to country, mainly depending on the underlying fuel mix and on the relative importance of non-energy use of fuels in the total.

Most countries show a decrease in CO<sub>2</sub> emissions levels under the new methodology, as the reductions due to the removal of non-energy use emissions are generally larger than the systematic increase due to changes in the oxidation factor.

For the year 2014, reductions of 1% or greater are observed for sixty-five countries, with thirteen showing a decrease of 5% or more. The largest relative decreases are observed in countries with high non-energy use of fuels (mainly oil products and natural gas) relative to their total energy consumption: Trinidad and Tobago (-39%), Gibraltar (-17%), Lithuania (-14%), and Singapore (-13%), the Netherlands, Belarus and Brunei Darussalam (all 11%). As emissions from non-energy use of fuels are not included in

energy sector emissions under the 2006 GLs, emissions previously attributed to non-energy use of oil products and natural gas are no longer included in IEA CO<sub>2</sub> emissions from fuel combustion estimates for these countries. One country, Curaçao presented a large increase (27%) in 2014. This was due to the inclusion of emissions from reported energy use of bitumen, which had been excluded (considered carbon stored / non-energy use) under the 1996 GLs.

Within the IEA databases, these changes will also be reflected in all indicators derived from CO<sub>2</sub> emissions totals (*e.g.* CO<sub>2</sub>/TPES, CO<sub>2</sub>/GDP). Impacts on trends should be visible when the relative weight of the non-energy use of fuels changes in time.

However, as mentioned, most of the methodological changes would not have significant impact in the case of a complete inventory covering all IPCC source/sink categories; in particular, the reallocation of emissions between categories would not affect total emissions estimates, nor the overall trends.

Table 4. Comparison of IEA CO<sub>2</sub> emissions estimates for non-OECD Countries (2014 data, 2016 edition)MtCO<sub>2</sub>

Country	1996 GLs CO <sub>2</sub> Sectoral Approach	2006 GLs CO <sub>2</sub> Fuel Combustion <sup>37</sup>	Percent Change	Country	1996 GLs CO <sub>2</sub> Sectoral Approach	2006 GLs CO <sub>2</sub> Fuel Combustion <sup>37</sup>	Percent Change
<b>World</b>	<b>32903.3</b>	<b>32381.0</b>	<b>-1.6%</b>	<b>Non-OECD Europe and Eurasia</b>			
<b>Annex I Parties</b>	<b>12852.2</b>	<b>12628.4</b>	<b>-2%</b>	Albania	4.3	4.1	-4.7%
<b>Non-annex I Parties</b>	<b>18932.1</b>	<b>18622.2</b>	<b>-2%</b>	Armenia	5.2	5.2	0.0%
<b>OECD</b>				Azerbaijan	31.3	30.8	-1.6%
Australia	375.2	373.8	-0.4%	Belarus	64.3	57.4	-10.7%
Austria	60.8	60.8	0.0%	Bosnia and Herzegovina	21.2	21.6	1.9%
Belgium	95.0	87.4	-8.0%	Albania	42.2	42.1	-0.2%
Canada	574.6	554.8	-3.4%	Croatia	15.8	15.1	-4.4%
Chile	76.4	75.8	-0.8%	Cyprus <sup>39</sup>	5.7	5.8	1.8%
Czech Republic	98.4	96.6	-1.8%	Georgia	8.0	7.7	-3.8%
Denmark	34.7	34.5	-0.6%	Gibraltar	0.6	0.5	-16.7%
Estonia	17.5	17.5	0.0%	Kazakhstan	220.3	223.7	1.5%
Finland	46.4	45.3	-2.4%	Kosovo	7.3	7.4	1.4%
France	295.8	285.7	-3.4%	Kyrgyzstan	8.3	8.4	1.2%
Germany	734.6	723.3	-1.5%	Latvia	6.7	6.7	0.0%
Greece	66.4	65.9	-0.8%	Lithuania	12.0	10.3	-14.2%
Hungary	41.3	40.3	-2.4%	FYR of Macedonia	7.3	7.4	1.4%
Iceland	2.0	2.0	0.0%	Malta	2.3	2.3	0.0%
Ireland	33.7	33.9	0.6%	Republic of Moldova	7.2	7.2	0.0%
Israel	66.3	64.7	-2.4%	Montenegro	2.2	2.2	0.0%
Italy	325.7	319.7	-1.8%	Romania	69.0	68.2	-1.2%
Japan	1193.3	1188.6	-0.4%	Russian Federation	1525.3	1467.6	-3.8%
Korea	589.5	567.8	-3.7%	Serbia	37.9	38.1	0.5%
Luxembourg	9.2	9.2	0.0%	Tajikistan	4.6	4.7	2.2%
Mexico	432.1	430.9	-0.3%	Turkmenistan	66.6	67.0	0.6%
Netherlands	166.6	148.3	-11.0%	Ukraine	239.6	236.5	-1.3%
New Zealand	33.2	31.2	-6.0%	Uzbekistan	101.0	97.9	-3.1%
Norway	36.9	35.3	-4.3%	<b>Non-OECD Europe and Eurasia</b>	<b>2516.4</b>	<b>2446.1</b>	<b>-2.8%</b>
Poland	281.3	279.0	-0.8%				
Portugal	43.2	42.8	-0.9%				
Slovak Republic	29.9	29.3	-2.0%				
Slovenia	12.6	12.8	1.6%				
Spain	234.8	232.0	-1.2%				
Sweden	38.7	37.4	-3.4%				
Switzerland	37.7	37.7	0.0%				
Turkey	304.8	307.1	0.8%				
United Kingdom	409.0	407.8	-0.3%				
United States	5235.9	5176.2	-1.1%				
<b>OECD Total</b>	<b>12033.5</b>	<b>11855.6</b>	<b>-1.5%</b>				

39. Please refer to the chapter *Geographical coverage and country notes*.

Table 4. Comparison of IEA CO<sub>2</sub> emissions estimates for Non-OECD Countries (2014 data, 2016 edition)

MtCO <sub>2</sub>							
Country	1996 GLs CO <sub>2</sub> Sectoral Approach	2006 GLs CO <sub>2</sub> Fuel Combustion <sup>37</sup>	Percent Change	Country	1996 GLs CO <sub>2</sub> Sectoral Approach	2006 GLs CO <sub>2</sub> Fuel Combustion <sup>37</sup>	Percent Change
<b>Africa</b>				<b>China</b>			
Algeria	126.4	122.9	-2.8%	People's Republic of China	9199.1	9087.0	-1.2%
Angola	19.5	19.3	-1.0%	Hong Kong (China)	47.3	47.9	1.3%
Benin	5.7	5.7	0.0%	<b>China (incl. Hong Kong)</b>	<b>9246.4</b>	<b>9134.9</b>	<b>-1.2%</b>
Botswana	6.8	6.9	1.5%	<b>Non-OECD Americas</b>			
Cameroon	6.0	6.0	0.0%	Argentina	195.3	192.4	-1.5%
Congo	2.7	2.6	-3.7%	Bolivia	18.2	18.3	0.5%
Cote d'Ivoire	4.6	4.7	2.2%	Brazil	492.6	476.0	-3.4%
Dem. Rep. of Congo	9.3	9.4	1.1%	Colombia	73.0	72.5	-0.7%
Egypt	181.1	173.3	-4.3%	Costa Rica	7.1	7.2	1.4%
Eritrea	0.6	0.6	0.0%	Cuba	29.6	29.4	-0.7%
Ethiopia	9.2	9.1	-1.1%	Curaçao	3.7	4.7	27.0%
Gabon	3.5	3.5	0.0%	Dominican Republic	19.5	19.3	-1.0%
Ghana	13.3	13.1	-1.5%	Ecuador	38.7	38.7	0.0%
Kenya	12.3	12.4	0.8%	El Salvador	5.9	5.9	0.0%
Libya	48.1	47.9	-0.4%	Guatemala	16.1	16.1	0.0%
Mauritius	3.9	4.0	2.6%	Haiti	2.7	2.8	3.7%
Morocco	53.0	53.1	0.2%	Honduras	8.7	8.7	0.0%
Mozambique	3.8	3.9	2.6%	Jamaica	7.1	7.2	1.4%
Namibia	3.6	3.6	0.0%	Nicaragua	4.5	4.5	0.0%
Niger	2.0	2.0	0.0%	Panama	10.6	10.6	0.0%
Nigeria	61.9	60.2	-2.7%	Paraguay	5.2	5.2	0.0%
Senegal	6.4	6.3	-1.6%	Peru	48.4	47.8	-1.2%
South Africa	442.3	437.4	-1.1%	Suriname	2.0	2.0	0.0%
South Sudan	13.9	13.3	-4.3%	Trinidad and Tobago	38.0	23.2	-38.9%
Sudan	1.5	1.5	0.0%	Uruguay	6.5	6.3	-3.1%
United Rep. of Tanzania	10.4	10.4	0.0%	Venezuela	155.5	155.0	-0.3%
Togo	1.7	1.7	0.0%	Other non-OECD Americas	19.9	20.1	1.0%
Tunisia	25.0	25.0	0.0%	<b>Non-OECD Americas</b>	<b>1209.0</b>	<b>1173.9</b>	<b>-2.9%</b>
Zambia	3.3	3.2	-3.0%	<b>Middle East</b>			
Zimbabwe	11.4	11.5	0.9%	Bahrain	31.8	29.7	-6.6%
Other Africa	32.3	31.0	-4.0%	Islamic Republic of Iran	576.1	556.1	-3.5%
<b>Africa</b>	<b>1125.6</b>	<b>1105.3</b>	<b>-1.8%</b>	Iraq	140.2	141.0	0.6%
<b>Asia (excl. China)</b>				Jordan	23.9	24.1	0.8%
Bangladesh	63.9	62.3	-2.5%	Kuwait	88.4	86.1	-2.6%
Brunei Darussalam	7.5	6.7	-10.7%	Lebanon	22.1	22.4	1.4%
Cambodia	6.0	6.1	1.7%	Oman	63.1	59.9	-5.1%
DPR of Korea	37.0	37.8	2.2%	Qatar	82.7	77.6	-6.2%
India	2038.9	2019.7	-0.9%	Saudi Arabia	521.4	506.6	-2.8%
Indonesia	442.3	436.5	-1.3%	Syrian Arab Republic	28.1	27.6	-1.8%
Malaysia	227.5	220.5	-3.1%	United Arab Emirates	175.8	175.4	-0.2%
Mongolia	17.8	18.2	2.2%	Yemen	21.1	21.3	0.9%
Myanmar	19.6	19.6	0.0%	<b>Middle East</b>	<b>1774.7</b>	<b>1727.8</b>	<b>-2.6%</b>
Nepal	5.8	5.9	1.7%				
Pakistan	141.0	137.4	-2.6%				
Philippines	94.5	95.7	1.3%				
Singapore	50.9	45.3	-11.0%				
Sri Lanka	16.5	16.7	1.2%				
Chinese Taipei	260.9	249.7	-4.3%				
Thailand	263.1	243.5	-7.4%				
Viet Nam	143.7	143.3	-0.3%				
Other Asia	41.7	42.1	1.0%				
<b>Asia (excl. China)</b>	<b>3878.8</b>	<b>3807.0</b>	<b>-1.9%</b>				

## 7. GHG EMISSIONS: SOURCES AND METHODS

CO<sub>2</sub> emissions from fuel combustion represent the majority of anthropogenic GHG emissions. However, comprehensive analysis of emission trends considers other sources of CO<sub>2</sub> as well as other gases, knowing that data on gases and sources other than CO<sub>2</sub> from fuel combustion are much more uncertain. Country-specific estimates of CO<sub>2</sub> from biomass burning and F-gas emissions are particularly difficult to ascertain.

To complement work regarding the emissions of CO<sub>2</sub> from fuel combustion, the IEA also included EDGAR data on other CO<sub>2</sub> sources and on five other greenhouse gases; methane (CH<sub>4</sub>), nitrous oxide (N<sub>2</sub>O) and the fluorinated gases (or “F-gases”) HFCs, PFCs and SF<sub>6</sub>, all gases addressed by the Kyoto Protocol.

The information in Part III (with the exception of CO<sub>2</sub> emissions from fuel combustion) has been provided by Monica Crippa and Diego Guizzardi from the Joint Research Centre (JRC) of the European Commission and Jos G.J. Olivier from the PBL Netherlands Environmental Assessment Agency, using the EDGAR database (version 4.3.2\_FT2016 for CO<sub>2</sub>, version 5.0 for CH<sub>4</sub> and N<sub>2</sub>O emissions and 4.2FT2010 for the F-gases) developed jointly by JRC and PBL.

In this edition, the global warming potentials (GWP-100) for the non-CO<sub>2</sub> gases are taken from the IPCC Fourth Assessment Report and no longer from the second. The data in this dataset may differ from previous editions also due to changes in the methodology used for the accounting of large-scale biomass burning (including mainly savannah fires). Therefore, no complete estimates of the land use, land use change and forestry sector emissions are currently provided by the EDGAR database.

Please note that the GHG emissions totals presented here will differ from those shown in countries’ official national inventory submissions to the UNFCCC, primarily due to differences in coverage for the category *Other*. Differences may also occur due to differences in allocation, methodologies and underlying data sources for activities and emission factors, as specified in Part III. Details on possible differences between IEA and UNFCCC CO<sub>2</sub> emissions from fuel combustion estimates can be found in Part I.

The information in Part III (with the exception of CO<sub>2</sub> emissions from fossil fuel combustion) has been provided by Monica Crippa, Diego Guizzardi and Jos G.J. Olivier based on the EDGAR version 4.3.2\_FT2016 for CO<sub>2</sub>, version 4.4 for CH<sub>4</sub> and N<sub>2</sub>O emissions and 4.2FT2010 for the F-gases. JRC and PBL are responsible for these datasets.

### General note on EDGAR

The *Emission Database for Global Atmospheric Research (EDGAR4)* has been developed jointly by the European Commission’s Joint Research Centre (JRC) and the PBL Netherlands Environmental Assessment Agency and is hosted at [edgar.jrc.ec.europa.eu](http://edgar.jrc.ec.europa.eu). EDGAR v4.3.2 is providing global anthropogenic

emissions of greenhouse gases CO<sub>2</sub>, CH<sub>4</sub>, N<sub>2</sub>O, HFCs, PFCs and SF<sub>6</sub> and of precursor gases and air pollutants CO, NO<sub>x</sub>, NMVOC, SO<sub>2</sub> and the aerosols PM<sub>10</sub>, PM<sub>2.5</sub>, BC, OC, per source category, both at country level as well as on a 0.1 x 0.1 grid online to its large community of users. EDGAR data are used for policy applications and scientific studies such as atmospheric modelling and were used for the *Fifth Assessment Report* of the *Intergovernmental Panel on Climate Change* (IPCC, 2014) (Working Group III).

Activity data were mostly taken from international statistics (checked for completeness and consistency and where required gap filled) and greenhouse gas emission factors were selected mostly from the *2006 IPCC Guidelines for National Greenhouse Gas Inventories* (IPCC, 2006) to ensure a consistent approach across countries and complete and consistent time series. It is stressed that the uncertainty in the resulting dataset at national level may be substantial, especially for methane and nitrous oxide, and even more so for the F-gases (see Box 2 for more details). However, this dataset provides a sound basis for comparability with national emissions reports and other studies since the methods used are either IPCC methodologies or comparable to them (see below), global totals are obtained in a transparent way and comply with budgets used in atmospheric studies, and the data were based on international information sources. For recent estimates of the GHG emissions, reports of Annex I countries to the *UN Convention on Climate Change* (UNFCCC) and the recent and significant impact of *Clean Development Mechanism* projects in developing countries to reduce CH<sub>4</sub>, N<sub>2</sub>O and HFC-23 emissions were taken into account. This applies to sources such as coal mines and landfills (CH<sub>4</sub> recovery), nitric acid and adipic acid production (N<sub>2</sub>O) and the production of HCFC-22 (HFC-23).

The EDGAR v4.3.2 dataset covers 1970-2012 time-series for all sector-specific and country-specific totals of greenhouse gases. Thereto new activity data statistics (with updated and revised time series) were uploaded for energy-related emissions using IEA (2017), for agriculture related activities till 2015 using the latest FAO statistics (FAOSTAT, 2018) and emission factors revised where appropriate. Although this dataset has been constructed with great care, JRC and PBL do not accept any liability from use of the data provided in this report including any inaccuracies or omissions in the data provided. For details on uncertainty and caveats identified in the dataset, as well as more detailed source category estimates, we refer to Janssens-Maenhout et al. (2017a) and the EDGAR v4.3.2 website at <http://edgar.jrc.ec.europa.eu/overview.php?v=432&SECURE=123>.

Note that estimates for other more recent years than

2012 are also made publicly available through this website. Most recent trends for CO<sub>2</sub> emissions through 2016 are discussed in Olivier et al. (2017) and Janssens-Maenhout et al. (2017b).

### Box 1: Uncertainty in greenhouse gas emissions.

When considering comparative shares and trends in greenhouse-gas emissions, data on gases and sources other than CO<sub>2</sub> from fuel combustion are much more uncertain. Country-specific estimates of CO<sub>2</sub> from biomass burning and F-gas emissions are particularly difficult to ascertain. The uncertainty in these emissions is caused by the limited accuracy of international activity data used and in particular of emission factors selected for calculating emissions on a country level (Olivier, 2002; Olivier *et al.*, 2005). For a detailed evaluation of emission uncertainties using international statistics and IPCC and other emission factors we refer to the *2006 IPCC Guidelines* (2006), and for comparisons between countries and datasets to Olivier et al (2005, 2010, 2015).

For global total anthropogenic CO<sub>2</sub> emissions the calculated uncertainty in the total ranges from about -10% to +10%, including large-scale biomass burning. For global emissions of CH<sub>4</sub>, N<sub>2</sub>O and the F-gases uncertainty estimates of 25%, 30% and 20%, respectively, were assumed based on default uncertainty estimates for the 2006 IPCC methodologies (IPCC, 2006), which correspond with emissions estimates inferred from atmospheric concentration measurements (UNEP, 2012).

When considering emission shares and trends of countries one should note that:

CO<sub>2</sub>: Fossil fuel combustion, which is often the largest source of CO<sub>2</sub> in a country, is estimated to have an uncertainty of about 5% (95% confidence interval) for OECD countries. However, for many non-OECD countries the uncertainty is estimated at about 10%. This is often regarded as the most accurate source of GHG emissions.

CH<sub>4</sub>: Uncertainties are particularly large for methane emissions from fugitive sources (coal mining and from oil and gas production and transmission) and from landfills and wastewater.

N<sub>2</sub>O: Uncertainties of most N<sub>2</sub>O sources are very large, e.g. the uncertainty for agricultural sources may sometimes exceed 100%.

F-gases: Uncertainties in annual emissions of most sources of F-gases are very large, e.g. at a country level they may well exceed 100%. Therefore, the figures provided for individual countries should be considered solely as order-of-magnitude estimates.

## Source definitions

The source definitions for *Fuel combustion* refer to the categories and codes used in the 2006 IPCC guidelines, Chapter 8 of Vol. 1: *General guidance and reporting* (IPCC, 2006). For other categories and codes the definitions refer to the Revised 1996 IPCC guidelines, Chapter 1 of Vol. 1: *Reporting instructions* (IPCC, 1996).

Note that the IPCC guidelines are sometimes ambiguous in where to report emissions from particular sources e.g. when reporting to the UNFCCC, countries may opt to report CO<sub>2</sub> emissions from integrated steel plants (including coke ovens and blast furnaces), wholly under IPCC Source/Sink Category 1A, or also under 1B1 and 2C.

### For carbon dioxide:

*Fuel combustion* refers to fossil fuel combustion only. Emissions have been estimated by the IEA using the methodology as described in the chapter *IEA estimates: Changes under the 2006 IPCC Guidelines* in Part I. (2006 IPCC Source/Sink Category 1A)

*Fugitive* refers mainly to flaring of associated gas in oil and gas production (in some cases including indirect CO<sub>2</sub> from methane venting) (IPCC Source/Sink Category 1B).

*Industrial Processes* refer to production of cement, lime, soda ash, carbides, ammonia, methanol, ethylene and other chemicals, metals and to the use of soda ash, limestone and dolomite, and non-energy use of lubricants and waxes. Emissions exclude *Fuel combustion* emissions. (IPCC Source/Sink Category 2).

*Other* CO<sub>2</sub> emissions refer to direct emissions from solvent use (IPCC Source/Sink Category 3), from application of urea and agricultural lime (IPCC Source/Sink Category 4) and from fossil fuel fires (coal fires & the Kuwait oil fires) (IPCC Source/Sink Category 7). It does not include the significant amount of large scale biomass burning emissions, as these are part of the land use, land-use change and forestry sector, for which a different methodology and use of satellite is required.

### For methane:

*Energy* comprises production, handling, transmission and combustion of fossil fuels and biofuels (IPCC Source/Sink Categories 1A and 1B).

*Agriculture* comprises enteric fermentation, rice production, manure management, agricultural waste burning (non-energy, on-site) and savannah burning (IPCC Source/Sink Category 4).

*Waste* comprises landfills, wastewater treatment, wastewater disposal and waste incineration (non-energy) (IPCC Source/Sink Category 6).

*Other* includes industrial process emissions e.g. methanol production, and forest and peat fires and other vegetation fires (IPCC Source/Sink Categories 2 and 5).

### For nitrous oxide:

*Energy* comprises combustion of fossil fuels and biofuels (IPCC Source/Sink Categories 1A and 1B).

*Agriculture* comprises fertiliser use (synthetic and manure), animal waste (manure) management, agricultural waste burning (non-energy, on-site) and savannah burning (IPCC Source/Sink Category 4).

*Industrial Processes* comprise non-combustion emissions from manufacturing of adipic acid, nitric acid, caprolactam and glyoxal (IPCC Source/Sink Category 2).

*Other* includes N<sub>2</sub>O usage, forest and peat fires (including post-burn decay emissions from remaining biomass) and other vegetation fires, human sewage discharge and waste incineration (non-energy) and indirect N<sub>2</sub>O from atmospheric deposition of NO<sub>x</sub> and NH<sub>3</sub> from non-agricultural sources (IPCC Source/Sink Categories 3, 5, 6 and 7).

### For fluorinated gases:

*HFC emissions* comprise by-product emissions of HFC-23 from HCFC-22 manufacture and the use of HFCs (IPCC Source/Sink Categories 2E and 2F).

*PFC emissions* comprise by-product emissions of CF<sub>4</sub> and C<sub>2</sub>F<sub>6</sub> from primary aluminium production and the use of PFCs, in particular for the manufacture of semiconductors, flat panel displays and photovoltaic cells) (IPCC Source/Sink Categories 2C, 2E and 2F). *SF<sub>6</sub> emissions* stem from various sources of SF<sub>6</sub> use (mainly manufacturing of Gas Insulated Switchgear (GIS) used in the electricity distribution networks) (IPCC Source/Sink Categories 2C and 2F) and from SF<sub>6</sub> production (Category 2E).

## Data sources and methodology for EDGAR v4.3.2 FT2016 and EDGAR v4.2FT2010

The **EDGAR v4.2FT2010** has been available online since October 2013<sup>40</sup> and **EDGAR v4.3.2\_FT2016** since July 2017<sup>41</sup>. For greenhouse gases, the default emission factors from the *2006 IPCC Guidelines* (IPCC, 2006) were used, except for CH<sub>4</sub> and N<sub>2</sub>O from road transport where technology-specific factors were used from the EMEP-EEA emission inventory guidebook (EEA, 2009).

The **EDGAR v4.3.2\_FT2016** dataset covers the entire period 1970-2016 and is largely based on IEA(2014) energy statistics and FAOSTAT (2018) agriculture statistics. The EDGAR v4.3.2\_FT2016 dataset was used in this publication as data input for the CO<sub>2</sub> emissions for *Fugitives* and *Industrial Processes*, the CH<sub>4</sub> emissions and the N<sub>2</sub>O emissions. Updated activity data using the latest FAO statistics for agriculture (FAOSTAT, 2018) were included to estimate CH<sub>4</sub> and N<sub>2</sub>O emissions from agriculture. The emissions of the F-gases are taken from the EDGAR v4.2FT2010 dataset. The methods, data sources and emission factors used for this new dataset are documented in Janssens-Maenhout et al. (2017a,b). For the documentation of the EDGAR v4.2FT2010 dataset we refer to a previous publication of this report (part III) in 2015.

## References

EEA (2009). *EMEP-EEA emission inventory guidebook – 2009*, European Environment Agency. Internet: [www.eea.europa.eu/publications](http://www.eea.europa.eu/publications).

FAOSTAT: Statistics Division of the Food Agricultural Organisation (FAO), 2018. <http://www.fao.org/statistics/en/>

IEA (2012, 2014). *Energy Statistics of OECD and Non-OECD Countries*. On-line data service. Internet: [data.iea.org](http://data.iea.org).

*World Energy Statistics (2017 edition)*", IEA/OECD 2017. On-line data service:

<http://data.iea.org/payment/products/118-world-energy-statistics-2018-edition.aspx>

IPCC (1996). *Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories* IPCC/OECD/IEA, Paris.

IPCC (2006). *2006 IPCC Guidelines for National Greenhouse Gas Inventories*. Eggleston, S., Buendia, L., Miwa, K., Ngara, T., Tanabe, K. (eds.). IPCC-TSU NGGIP, IGES, Japan. Internet: [www.ipcc-nggip.iges.or.jp/public/2006gl/index.html](http://www.ipcc-nggip.iges.or.jp/public/2006gl/index.html).

IPCC, 2007: *Climate Change 2007: Synthesis Report. Contribution of Working Groups I, II and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change* [Core Writing Team, Pachauri, R.K and Reisinger, A. (eds.)]. IPCC, Geneva, Switzerland, 104 pp

IPCC (2014). *Climate Change 2014: Mitigation. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* [Edenhofer, O., R. Pichs-Madruga, Y. Sokona, E. Farahani, S. Kadner, K. Seyboth, A. Adler, I. Baum, S. Brunner, P. Eickemeier, B. Kriemann, J. Savolainen, S. Schlömer, C. von Stechow, T. Zwickel and J.C. Minx (eds.)], Cambridge

University Press, Cambridge, United Kingdom and New York, NY. Internet: [www.ipcc.ch/report/ar5/wg3/](http://www.ipcc.ch/report/ar5/wg3/).

Janssens-Maenhout, G., Crippa, M., Guizzardi, D., Muntean, M., Schaaf, E., Dentener, F., Bergamaschi, P., Pagliari, V., Olivier, J.G.J., Peters, J.A.H.W., van Aardenne, J.A., Monni, S., Doering, U., Petrescu, A.M.R. (2017a). EDGARv4.3.2 Global Atlas of the three major Greenhouse Gas Emissions for the period 1970-2012, *Earth Syst. Sci. Data Discuss.*, <https://doi.org/10.5194/essd-2017-79>, in review, 2017a

G. Janssens-Maenhout, G., M. Crippa, D. Guizzardi, M. Muntean, E. Schaaf, J.G.J. Olivier, J.A.H.W. Peters, K.M. Schure, (2017b). CO<sub>2</sub> and GHG emissions of all world countries, Joint Research Centre Report, European Union, Luxembourg, 2017b, PUBSY No. 107877

JRC/PBL (2013). EDGAR version 4.2FT2010. Joint Research Centre/PBL Netherlands Environmental Assessment Agency. Internet:

<http://edgar.jrc.ec.europa.eu/overview.php?v=42FT2010>

40. See <http://edgar.jrc.ec.europa.eu/overview.php?v=42FT2010>

41. See <http://edgar.jrc.ec.europa.eu/overview.php?v=432&SECURE=123>

JRC/PBL (2017). EDGAR version 4.3.2. Joint Research Centre/PBL Netherlands Environmental Assessment Agency, Internet:

<http://edgar.jrc.ec.europa.eu/overview.php?v=432&SECURE=123>

Olivier, J.G.J. (2002). On the Quality of Global Emission Inventories, Approaches, Methodologies, Input Data and Uncertainties, Thesis Utrecht University, Utrecht, ISBN 90 393 3103 0. Internet: [www.library.uu.nl/digiarchief/dip/diss/2002-1025-131210/inhoud.htm](http://www.library.uu.nl/digiarchief/dip/diss/2002-1025-131210/inhoud.htm).

Olivier, J.G.J., J.A. Van Aardenne, F. Dentener, V. Pagliari, L.N. Ganzeveld and J.A.H.W. Peters (2005). Recent trends in global greenhouse gas emissions: regional trends 1970-2000 and spatial distribution of key sources in 2000. *Environm. Sc.*, 2 (2-3), 81-99. DOI: 10.1080/15693430500400345.

Olivier, J.G.J., J.A. van Aardenne, S. Monni, U.M. Döring, J.A.H.W. Peters and G. Janssens-Maenhout (2010). Application of the IPCC uncertainty methods to EDGAR 4.1 global greenhouse gas inventories. In: “3rd International Workshop on Uncertainty in Greenhouse Gas Inventories, 22–24 September, 2010”. Proceedings. Lviv Polytechnic National University, Lviv, Ukraine. ISBN: 978-966-8460-81-4, p. 219-226. Internet: <http://bit.ly/1FHB0Wt>.

Olivier, J.G.J., G. Janssens-Maenhout, M. Muntean and J.A.H.W. Peters (2016). *Trends in global CO<sub>2</sub> emissions*. 2016 report.

Olivier, J.G.J., Schure, K.M., Peters, J.A.H.W. (2017) Trends in global CO<sub>2</sub> and total GHG emissions, 2017 report, PBL No. 2983, 2017 forthcoming.

## 8. UNITS AND CONVERSIONS

### General conversion factors for energy

To:	TJ	Gcal	Mtoe	MBtu	GWh
From:	multiply by:				
terajoule (TJ)	1	2.388x10 <sup>2</sup>	2.388x10 <sup>-5</sup>	9.478x10 <sup>2</sup>	2.778x10 <sup>-1</sup>
gigacalorie (Gcal)	4.187x10 <sup>-3</sup>	1	1.000x10 <sup>-7</sup>	3.968	1.163x10 <sup>-3</sup>
million tonnes of oil equivalent (Mtoe)	4.187x10 <sup>4</sup>	1.000x10 <sup>7</sup>	1	3.968x10 <sup>7</sup>	1.163x10 <sup>4</sup>
million British thermal units (MBtu)	1.055x10 <sup>-3</sup>	2.520x10 <sup>-1</sup>	2.520x10 <sup>-8</sup>	1	2.931x10 <sup>-4</sup>
gigawatt hour (GWh)	3.600	8.598x10 <sup>2</sup>	8.598x10 <sup>-5</sup>	3.412x10 <sup>3</sup>	1

### Conversion factors for mass

To:	kg	t	lt	st	lb
From:	multiply by:				
kilogramme (kg)	1	1.000x10 <sup>-3</sup>	9.842x10 <sup>-4</sup>	1.102x10 <sup>-3</sup>	2.205
tonne (t)	1.000x10 <sup>3</sup>	1	9.842x10 <sup>-1</sup>	1.102	2.205x10 <sup>3</sup>
long ton (lt)	1.016x10 <sup>3</sup>	1.016	1	1.120	2.240x10 <sup>3</sup>
short ton (st)	9.072x10 <sup>2</sup>	9.072x10 <sup>-1</sup>	8.929x10 <sup>-1</sup>	1	2.000x10 <sup>3</sup>
pound (lb)	4.536x10 <sup>-1</sup>	4.536x10 <sup>-4</sup>	4.464x10 <sup>-4</sup>	5.000x10 <sup>-4</sup>	1

### Conversion factors for volume

To:	gal U.S.	gal U.K.	bbl	ft <sup>3</sup>	l	m <sup>3</sup>
From:	multiply by:					
U.S. gallon (gal U.S.)	1	8.327x10 <sup>-1</sup>	2.381x10 <sup>-2</sup>	1.337x10 <sup>-1</sup>	3.785	3.785x10 <sup>-3</sup>
U.K. gallon (gal U.K.)	1.201	1	2.859x10 <sup>-2</sup>	1.605x10 <sup>-1</sup>	4.546	4.546x10 <sup>-3</sup>
barrel (bbl)	4.200x10 <sup>1</sup>	3.497x10 <sup>1</sup>	1	5.615	1.590x10 <sup>2</sup>	1.590x10 <sup>-1</sup>
cubic foot (ft <sup>3</sup> )	7.481	6.229	1.781x10 <sup>-1</sup>	1	2.832x10 <sup>1</sup>	2.832x10 <sup>-2</sup>
litre (l)	2.642x10 <sup>-1</sup>	2.200x10 <sup>-1</sup>	6.290x10 <sup>-3</sup>	3.531x10 <sup>-2</sup>	1	1.000x10 <sup>-3</sup>
cubic metre (m <sup>3</sup> )	2.642x10 <sup>2</sup>	2.200x10 <sup>2</sup>	6.290	3.531x10 <sup>1</sup>	1.000x10 <sup>3</sup>	1

## Decimal prefixes

10 <sup>1</sup>	deca (da)	10 <sup>-1</sup>	deci (d)
10 <sup>2</sup>	hecto (h)	10 <sup>-2</sup>	centi (c)
10 <sup>3</sup>	kilo (k)	10 <sup>-3</sup>	milli (m)
10 <sup>6</sup>	mega (M)	10 <sup>-6</sup>	micro (μ)
10 <sup>9</sup>	giga (G)	10 <sup>-9</sup>	nano (n)
10 <sup>12</sup>	tera (T)	10 <sup>-12</sup>	pico (p)
10 <sup>15</sup>	peta (P)	10 <sup>-15</sup>	femto (f)
10 <sup>18</sup>	exa (E)	10 <sup>-18</sup>	atto (a)

## Tonne of CO<sub>2</sub>

The *2006 GLs* and the *UNFCCC Reporting Guidelines on Annual Inventories* both ask that CO<sub>2</sub> emissions and removals be reported in Gg (gigagrammes) of CO<sub>2</sub>. A million tonnes of CO<sub>2</sub> is equal to 1 000 Gg of CO<sub>2</sub>, so to compare the numbers in this publication with national inventories expressed in Gg, multiply the IEA emissions by 1 000.

Other organisations may present CO<sub>2</sub> emissions in tonnes of carbon instead of tonnes of CO<sub>2</sub>. To convert from tonnes of carbon, multiply by 44/12, which is the molecular weight ratio of CO<sub>2</sub> to C.

## 9. ABBREVIATIONS

Btu	British thermal unit
BKB	Brown coal briquettes (braunkohlebriketts)
Gg	gigagramme
GJ	gigajoule
GWh	gigawatt hour
J	joule
kcal	kilocalorie
kg	kilogramme
kt	thousand tonnes
ktoe	thousand tonnes of oil equivalent
kWh	kilowatt hour
MJ	megajoule
Mt	million tonnes
Mtoe	million tonnes of oil equivalent
MtCO <sub>2</sub>	million tonnes of carbon dioxide
m <sup>3</sup>	cubic metre
PJ	petajoule
t	metric ton = tonne = 1 000 kg
tC	tonne of carbon
TJ	terajoule
toe	tonne of oil equivalent = 10 <sup>7</sup> kcal
CC	carbon content
CEF	carbon emission factor
COF	carbon oxidation factor
CHP	combined heat and power
GCV	gross calorific value
GDP	gross domestic product
GWP	global warming potential
NCV	net calorific value
PPP	purchasing power parity
TPES	total primary energy supply
Convention	United Nations Framework Convention on Climate Change
COP	Conference of the Parties to the Convention
G20	Group of Twenty (See the chapter <i>Geographical coverage and country notes</i> )
IEA	International Energy Agency
IPCC	Intergovernmental Panel on Climate Change
IPPU	Industrial Processes and Product Use
OECD	Organisation for Economic Co-Operation and Development
UN	United Nations
UNFCCC	United Nations Framework Convention on Climate Change
..	not available
-	nil
x	not applicable
CO <sub>2</sub>	carbon dioxide